Atman® 创星
NEW PRODUCT
2026新品手册











创星电器 CHUANGXING ELECTRIC | Atman® 创星 | 品质铸就放心水族

中山创星电器有限公司
地址：广东省中山市小榄镇埒东村四十亩工业区（联丰路）
电话：86-0760-23383398　传真：86-0760-22121951

CHUANGXING ELECTRIC APPLIANCES CO.,LTD
Add:Lianfeng Road Liedong Village Xiaolan Town
Zhongshan Guangdong P.R.C
Tel:86-0760-23383398　Fax:86-0760-22121951

创星制品有限公司
地址: 香港新界荃湾白田坝街23-39号长丰工业大厦12楼04室
电话: 852-24131336　传真: 852-24131116

CHUANGXING MANUFACTURING CO.,LTD
Add: No.4,12/F,Cheung Fung Industrial Building, 23-39
PakTin Par Street,Tsuen Wan,N.T.,Hong Kong
Tel: 852-24131336　Fax: 852-24131116

官网 WEB　微信 WEC　天猫 Tmall

CCTV 发现之旅 OUTLOOK
《工匠精神》入选企业

Atman



ABOUT US
关 于 我 们

中山市创星电器有限公司（ATMAN）始建于1991年，位于广东省中山市，是一家接外加工（OEM&ODM）和集自主研发、生产、销售于一体的大型自动化水族制造企业。凭借30多年水族领域的经验，成为中国高端水族产品制造商，并与多个国际大品牌合作。

我们产品涵盖淡水类及海水类产品，其中包括鱼缸、过滤器、气泵、水泵、水族照明、加热棒等，共计200多个品种。款式多样，规格齐全，通过多类认证，能符合各类市场需求。

过去，创星以品质走出了自己的品牌之路，赢得了极佳市场口碑。未来，我们将坚定“质量是企业的生命”的信念，把创星打造“合作放心，品质放心，选配放心，售后放心”的首家放心水族。

Zhongshan Chuangxing Electric Appliances Co.,Ltd (ATMAN) was founded in 1991 and is located in Zhongshan City, Guangdong Province. Chuangxing is one of the largest aquarium manufacturer with research and development, production and sale, and we provide OEM and ODM service. With over 30 years experience in aquarium field, we have grown to become the top 10 aquarium products manufacturer in China and have cooperated with many international brands. We are able to understand the specific demands of the hobbyist and develop the professional product to fit into the market trend.

We offer more than 200 varieties of fresh water and marine products with various certifications, which cover wide range of aquarium tank, filter, air pump, water pump, aquarium lighting and heater etc. It can accord with the demands of the market.

We truly believe that ' Quality is the heart of company's success '. We are always dedicated to be the best cooperative partner and creating practical and trusted products.



CONTENTS 目录

鱼缸 FISH TANK

NEW 01 AZ三合一智能生态鱼缸 AZ 3 IN 1 intelligent ecological fish tank
01 XR三合一智能生态鱼缸 XR 3 IN 1 intelligent ecological fish tank
NEW 02 DM高清玻璃生态鱼缸 DM HD glass ecological fish tank
02 ZGT直角套缸 ZGT right angle set tank
ZGT直角单缸 ZGT right angle tank
03 RGT圆角套缸 RGT round angle set tank
RGT圆角单缸 RGT round angle tank
03 BGT半圆套缸 BGT semicircle set tank
BGT半圆单缸 BGT semicircle tank
NEW 03 MINI种植鱼缸 MINI planting fish tank
NEW 04 DR前弧玻璃生态鱼缸 DR front arc glass ecological fish tank
NEW 04 DZ直角玻璃生态鱼缸 DZ right angle glass ecological fish tank
04 小型玻璃鱼缸 Small glass tank

过滤器 FILTER

NEW 05 CFZ变频缸外过滤桶 CFZ frequency conversion canister filter
NEW 07 CFS缸外杀菌过滤桶 CFS uv canister filter
NEW 08 PFB外挂过滤器 PFB back hanging filter
NEW 09 AT-F802置过滤器 AT-F802 internal filter
NEW 09 HD背挂过滤器 HD back hanging filter
NEW 10 QM前置过滤器 QM prefilter
10 QZ前置过滤器 QZ prefilter
11 AT缸外过滤桶 AT canister filter
11 RF缸外过滤桶 RF canister filter
12 CF缸外过滤桶 CF canister filter
12 CF/UF-2200/2400缸外过滤桶 CF/UF-2200/2400 canister filter
13 CF/UF-3200/3400缸外过滤桶 CF/UF-3200/3400 canister filter
13 EF池/缸过滤桶 EF pond/tank canister filter
14 Q7外挂过滤桶 Q7 back hang canister filter
14 HK外挂过滤盒 HK back hanging filter
15 HF-B背挂过滤器 HF-B back hanging filter
15 HF背挂过滤器 HF back hanging filter
16 NZ内置过滤器 NZ internal filter
16 SP缸内背挂过滤器 SP back hanging filter
17 TF乌龟滴漏过滤器 TF turtle tank filter
17 SKF三角过滤器 SKF corner filter
17 TSF三角过滤器 TSF corner filter
18 AT-F100内置过滤器 AT-F100 internal filter
18 AT-F200内置过滤器 AT-F200 internal filter
19 AT-F300内置过滤器 AT-F300 internal filter
19 PF内置过滤器 PF internal filter
20 SIF内置过滤器 SIF internal filter
20 AT内置过滤器 AT internal filter

水泵 WATER PUMP

NEW 21 GXS可控变频水泵 GXS frequency conversion water pump
NEW 23 FAX可控变频锦鲤池泵 FAX controllable frequency conversion koi pond pump
24 HAX变频锦鲤池泵 HAX kam carp pond frequency conversion pump
24 HA锦鲤池泵 HA kam carp pond pump
NEW 25 AT-802多功能潜水泵 AT-802 multi functional water pump
25 BX造浪泵 BX wave maker pump
26 RX可控变频造浪泵 RX frequency conversion wave maker pump
26 PX可控变频横流泵 PX frequency conversion wave maker pump
27 TF3合1潜水泵 TF 3 IN 1 water pump
27 MX可控变频水泵 MX frequency conversion water pump
28 AX可控变频水泵 AX frequency conversion water pump
29 DX变频水泵 DX variable frequency water pump
29 AT变频水泵 AT variable frequency water pump
30 MP水泵 MP water pump
30 PH潜水泵 PH water pump
31 AT-100s潜水泵 AT-100s water pump
31 AT-200潜水泵 AT-200 water pump
32 AT-300s潜水泵 AT-300s water pump
32 AT-400潜水泵 AT-400 water pump
32 DC水泵 DC water pump

气泵 AIR PUMP

NEW 33 UP气泵 UP air pump
NEW 33 CP双层静音气泵 CP silent air pump
34 BP双倍静气泵 BP Silent air pump
34 AD直流充电气泵 AD DC charging air pump
35 AD水族充电气泵 AD charging air pump
35 KP水族气泵 KP air pump
36 DP气泵 DP air pump
36 HP气泵 HP air pump
37 XP气泵 XP air pump
37 CR气泵 CR air pump
38 AP气泵 AP air pump
38 AT-A气泵 AT-A air pump
39 PP气泵 PP air pump
39 AT&EP气泵 AT&EP air pump
39 山本气泵 Shanben air pump
40 AR气泵 AR air pump
40 CX气泵 CX air pump
40 干电池气泵 Battery air pump

加热棒 HEATER

NEW 41 THK电子控温石英加热棒 THK electronic control quartz heater
NEW 42 THR智控纯钛加热棒 THR Intelligent control titanium heater
NEW 43 WG恒温加热棒 WG constant temperature heater
NEW 43 MINI恒温加热棒 MINI constant temperature heater
NEW 44 TH石英加热棒 TH quartz heater
NEW 44 THE数显石英加热棒 THE digital display quartz heater
44 JG玻璃加热棒 JG glass heater
45 HCH石英加热棒 HCH quartz heater
45 AH石英加热棒 AH quartz heater
45 BH石英加热棒 BH quartz heater
46 CH玻璃加热棒 CH glass heater
46 DH玻璃加热棒 DH glass heater
46 EH玻璃加热棒 EH glass heater
47 FH玻璃加热棒 FH glass heater
47 J25玻璃加热棒 J25 glass heater
47 J16恒温加热棒 J16 constant temperature heater

水族灯 AQUARIUM LAMP

NEW 48 LG/LGM LED超薄水族灯 LG/LGM LED ultra-thin aquarium lamp
48 LA LED超薄水族灯 LA LED ultra-thin aquarium lamp
49 CX LED智能水族灯 CX LED smart aquarium lamp
49 QL-60 LED智能水族灯 QL-60 LED smart aquarium lamp
50 UV杀菌灯 UV lamp
50 CASE UV杀菌灯 CASE UV lamp
50 UV杀菌灯 UV lamp

水草用具 PLANTS PRODUCTS

NEW 51 MT水面撇渣除油膜器 MT surface skimmer
51 自吸式除油膜器 Self suction surface skimmer
52 除油膜器 Surface skimmer
52 二氧化碳扩散器 CO2 diffuser

其他产品 OTHER PRODUCTS

53 AFT自动喂食器 AFT automatic feeder
53 AF-04自动喂食器 AF-04 automatic feeder
54 AFT自动喂食器 AFT automatic feeder
54 水妖精 Sponge filter
54 工艺喷泉头 Fountain head
55 磁力双头鱼缸刮刷 Magnetic double scraper brush
55 磁力鱼缸刷 Magnetic brush
55 鱼缸刮铲 Fish tank brush

AZ三合一智能生态鱼缸

AZ 3 IN 1 INTELLIGENT ECOLOGICAL FISH TANK

NEW





触摸式LED灯 (Touch LED lamp)



顶部过滤(Top filter)

- 外形采用环保ABS材质，直角缸体造型。
- 采用台湾汽车玻璃，高清缸景。
- 集顶部过滤与触摸式LED灯于一体。

- Environmentally-friendly ABS material for the shape,with flat panel glass design.
- Using Taiwanese automotive glass,HD fish tank landscape.
- Set top filter and touch type LED lamp in one.

100~240V 50Hz

型号 Model	产品尺寸 Product size	容量 Capacity	LED灯功率 LED lamp power	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AZ-320	32.5x25x31.5cm	21L/5.6gal	6W	40x32.5x39cm	1/1	5.7kg
AZ-380	38x26.5x35cm	30L/8gal	8.6W	46x34x43cm	1/1	7.1kg
AZ-450	45x29.5x38cm	42L/11gal	10W	52.2×36.7×45.5cm	1/1	9.4kg
AZ-600	60x33x45cm	75L/20gal	14.5W	67.2×40.5×53cm	1/1	15.7kg
AZ-800	80x39x50cm	131L/34gal	18.5W	87.5×46.5×57.8cm	1/1	27.3kg
AZ-1000	100x43x56cm	230L/61gal	24W	103.3×46.4×59.5cm	1/1	47.6kg

XR三合一智能生态鱼缸

XR 3 IN 1 INTELLIGENT ECOLOGICAL FISH TANK





触摸式LED灯 (Touch LED lamp)



顶部过滤(Top filter)

- 外形采用环保ABS材质，圆角缸体造型。
- 采用台湾汽车玻璃运用热弯技术一体成型。
- 集顶部过滤与触摸式LED灯于一体。

- Environmentally-friendly ABS material for the shape,with bent glass design.
- Taiwan automotive glass using hot bending technology integrated molding.
- Set top filter and touch type LED lamp in one.

110~120V 60Hz / 220~240V 50Hz

型号 Model	产品尺寸 Product size	容量 Capacity	LED灯功率 LED lamp power	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
XR-320	32.6x24x31.8cm	24.8L/6.5gal	4.5w	37×28×38.5cm	1/1	4.9kg
XR-380	38x25x37cm	35.1L/9.3gal	8.6w	43×29.5×43cm	1/1	7.5kg
XR-510	50.8x30x42.8cm	65.2L/17.2gal	12.5w	57.5×37.5×51cm	1/1	11.3kg
XR-600	60x33x45cm	89.1L/23.5gal	15w	67×40.2×53cm	1/1	14.4kg
XR-800	80x38x50cm	152L/40.1gal	17w	87.5×46×60cm	1/1	24.4kg
XR-1000	100x43x55cm	236L/62.3gal	24w	107×42.5×57cm	1/1	39.0kg

DM高清玻璃生态鱼缸

DM HD GLASS ECOLOGICAL FISH TANK

NEW









- 直角高清玻璃鱼缸，无损缸景。
- 个性与美观兼具，缸体与底座分离，陈列时可选择是否要底座。
- 搭配QL-60LED智能水族灯，轻触开关，6H/8H定时设置，白/紫两种灯效。
- 采用内置背部过滤，标配过滤棉和活性炭盒，设有加热棒槽。

- Right angle high-definition glass fish tank, with no damage to the tank view.
- Combining personality and aesthetics, the cylinder body and base are separated, and the display can choose whether to have a base.
- Equipped with QL-60LED smart aquarium light, touch switch, white/purple light effects, 6H/8H timing function.
- Adopting built-in back filtering,Equipped with filter cotton , activated carbon box, heater rod slot.

110~120V 60Hz / 220~240V 50Hz

型号 Model	产品尺寸 Product size	容量 Capacity	水族灯 Aquarium lamp	纸箱尺寸 Carton size	个/箱 PCS/CTN
DM-600	60x35x50cm	75L/20gla	QL-60	68x43.5x58cm	1/1

ZGT直角套缸

ZGT RIGHT ANGLE SET TANK

颜色 colour



- 直角高清玻璃鱼缸。
- 轻触LED灯，节能高亮，蓝白两种灯效。
- 缸内背挂过滤，滤材更换方便。

- Flat panel HD glass fish tank.
- Touch LED light, energy saving and bright, blue and white lights.
- Built in back hung filter, easy to change filter materials.



110~120V 60Hz / 220~240V 50Hz

型号 Model	鱼缸 Fish tank	过滤 Filter	水族灯 Aquarium lamp	玻璃上盖 Glass cover	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
ZGT-20	ZG-20	SP-200	CX-SP	✓	23×23×26.3cm	1/1	3.6kg
ZGT-30	ZG-30	SP-200	CX-SP	✓	31×23×27.2cm	1/1	4.4kg
ZGT-40	ZG-40	SP-500	CX-LP	✓	41×26×31cm	1/1	7.2kg
ZGT-50	ZG-50	SP-500	CX-LP	✓	51×26×34cm	1/1	8.8kg
ZGT-60	ZG-60	SP-800/Q7-M	QL-60	✓	60.6×33.6×39cm	1/1	10.5kg



ZG直角鱼缸
ZG RIGHT ANGLE TANK



型号 Model	产品尺寸 Product size	容量 Capacity	玻璃上盖 Glass cover
ZG-20	22.4×22.4×26cm	12L/3.17gal	✓
ZG-30	30.4×22.4×27cm	17L/4.49gal	✓
ZG-40	40.4×25.4×31cm	3 L/7.92gal	✓
ZG-50	50.4×25.4×34cm	41L/10.8gal	✓
ZG-60	60×33×39cm	75L/20gal	×
ZG-80	80×39×46cm	131L/34gal	×



RGT圆角套缸

RGT ROUND ANGLE SET TANK

颜色 colour

- 圆角高清玻璃鱼缸。
- 轻触LED灯，节能高亮，蓝白两种灯效。
- 缸内背挂过滤，滤材更换方便。

- Bent HD glass fish tank.
- Touch LED light, energy saving and bright, blue and white lights.
- Built in back hung filter, easy to change filter materials.




110~120V 60Hz / 220~240V 50Hz

型号 Model	鱼缸 Fish tank	过滤 Filter	水族灯 Aquarium lamp	玻璃上盖 Glass cover	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
RGT-35	RG-35	SP-200	CX-MP	✓	36×19×26.4cm	1/1	4.3kg
RGT-40	RG-40	SP-200	CX-MP	✓	41×19×26.4cm	1/1	4.5kg



RG圆角鱼缸 RG ROUND ANGLE TANK

型号 Model	产品尺寸 Product size	容量 Capacity	玻璃上盖 Glass cover
RG-35	35.4×18.4×26cm	13L/3.43gal	✓
RG-40	40.4×18.4×26cm	18L/4.75gal	✓





BGT半圆套缸

BGT SEMICIRCLE SET TANK

颜色 colour

- 半圆高清玻璃鱼缸。
- 轻触LED灯，节能高亮，蓝白两种灯效。
- 缸内背挂过滤，滤材更换方便。

- Semicircle HD glass fish tank.
- Touch LED light, energy saving and bright, blue and white lights.
- Built in back hung filter, easy to change filter materials.



110~120V 60Hz / 220~240V 50Hz

型号 Model	鱼缸 Fish tank	过滤 Filter	水族灯 Aquarium lamp	玻璃上盖 Glass cover	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
BGT-25	BG-25	SP-200	CX-SP	✓	26.5×22.5×27.5cm	1/1	3.7kg
BGT-30	BG-30	SP-200	CX-SP	✓	31.5×24.5×32.5cm	1/1	4.5kg



BG半圆鱼缸 BG SEMICIRCLE TANK

型号 Model	产品尺寸 Product size	容量 Capacity	玻璃上盖 Glass cover
BG-25	25.4×21×26cm	10L/2.62gal	✓
BG-30	30.4×23×29cm	16L/4.22gal	✓





MINI种植鱼缸

MINI PLANTING FISH TANK

NEW

- 高清亚克力鱼缸，顶部植物槽可种植。
- LED灯，节能高亮，白色灯效。
- 内置背挂过滤，滤材清洗，更换方便。
- 低压输出防触电。

- High definition acrylic fish tank, the top planter can be planted.
- LED light, energy saving and bright, white lights.
- Built in back hanging filter, easy to clean and replace the filter material.
- Low voltage output anti electric shock.



Input:100-240V Output:DC 12V

型号 Model	功率 Power	流量 Q.max	鱼缸尺寸 Tank size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MN-200	3.7W	220L/H	20×20×23.5cm	43×43×28cm	4/1	5kg
MN-280	3.7W	220L/H	20×28×23.5cm	59×44×28cm	4/1	5.4kg



NEW

DR前弧玻璃生态鱼缸

DR FRONT ARC GLASS ECOLOGICAL FISH TANK



- 前弧高清玻璃鱼缸，造型独特，大方美观。
- 高亮LED水族灯，带红外遥控可调节RGB和亮度。
- 内置背部过滤，标配过滤棉和活性炭盒，设有加热棒槽。
- Front arc HD glass fish tank, unique shape, generous and beautiful.
- Highlight LED lamp, Infrared controller to adjust RGB and brightness.
- Built-in back filter,equipped with filter cotton and activated box,with heating rod groove.



红外遥控 Infrared controller



高亮LED水族灯 Highlight led aquarium lamp



前弧玻璃鱼缸 Front arc glass fish tank

100~240V 50Hz

型号 Model	产品尺寸 Product size	容量 Capacity	LED灯功率 LED lamp power	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
DR-320	32x33.3x33.5cm	35L/9gal	8w	40×38×40cm	1/1	7.6kg
DR-420	42x37.5x40cm	65L/17gal	11.5w	49.6×43.5×47.8cm	1/1	12.7kg
DR-600	60x40.5x42.5cm	89L/23gal	15w	67.6×46.5×50cm	1/1	20.3kg

NEW

DZ直角玻璃生态鱼缸

DZ RIGHT ANGLE GLASS ECOLOGICAL FISH TANK



- 直角高清玻璃鱼缸，造型简洁大方。
- 高亮LED水族灯，带红外遥控可调节RGB和亮度。
- 内置背部过滤，标配过滤棉和活性炭盒，设有加热棒槽。
- Flat panel HD glass fish tank,simple and generous in shape.
- Highlight LED lamp, Infrared controller to adjust RGB and brightness.
- Built-in back filter,equipped with filter cotton and activated box,with heating rod groove.



红外遥控 Infrared controller



高亮LED水族灯 Highlight led aquarium lamp



直角玻璃鱼缸 Right angle glass fish tank

100~240V 50Hz

型号 Model	产品尺寸 Product size	容量 Capacity	LED灯功率 LED lamp power	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
DZ-320	32x30x33.5cm	35L/9gal	8w	40×35×40cm	1/1	7kg
DZ-420	42x33x40cm	65L/17gal	11.5w	48×39×46cm	1/1	11.5kg
DZ-600	60x37x42.5cm	89L/23gal	15w	66×46.5×48.5cm	1/1	19.5kg

小型玻璃鱼缸

SMALL GLASS TANK

S+M+L 三款产品为一套

S+M+L three products as a set



- 高清玻璃鱼缸。
- 黑色框体，透明支架。

- HD glass tank.
- Black frame, Transparent bracket.

型号 Model	鱼缸尺寸 Tank Size	容积 Capacity	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
S+M+L	S / 31.5×18.5×24.5cm	14.2L/3.8gal	42×26×28.5cm	1/1	7.4kg
	M / 36×22×26.5cm	20.9L/5.5gal			
	L / 40×25.5×28cm	28.5L/7.5gal			



CFZ变频缸外过滤桶

CFZ FREQUENCY CONVERSION CANISTER FILTER








- 一款真正的变频过滤桶，采用直流无刷电机，通过改变转子速度来控制流量，相比同等功率过滤桶，更省电，高效，静音，淡/海水通用。
- 底部电机设计，无需手动排气，往桶内加水至二分之一以上，通电即可启动。
- 通过控制面板调节档位，10档流量可调，一键喂食，简单易用。
- 带前置过滤器，预先过滤水中杂质，减少滤材清洗频率；前置带童锁，防止儿童误拆。
- 多层滤篮容量大，滤材自由搭配，层层递进，快速滤清水质。
- 开关水咀，360度自由摆放，流量可调。

- A true variable frequency filter bucket, using a DC brushless motor to control flow by changing rotor speed,Compared to the same power filter bucket, it is more energy-efficient, efficient, silent, and versatile for both fresh and seawater.
- The bottom motor design does not require manual exhaust. Add water to more than half of the bucket and start it when powered on.
- Adjust the gear through the control panel, with 10 adjustable flow rates and one click feeding, simple and easy to use.
- Equipped with a pre filter to pre filter impurities in water and reduce the frequency of filter material cleaning; Front with child lock to prevent children from accidentally removing.
- Multi layer filter basket, filter materials can be freely matched, layer by layer progressive, and quickly filter water quality.
- Switching water nozzle can rotate 360 degrees and adjust the flow rate.








CFZ-1500



CFZ-2000





输入: 110~120V 60Hz / 220~240V 50Hz　输出: DC24V

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	适用鱼缸 Suit For Aquarium	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CFZ-1500	3~21W	450~1200L/H	3	80-120CM/150-250L	Ø17	24×27.5×36.5cm	64×35.5×41cm	2/1	11.3kg
CFZ-2000	5~23W	500~1600L/H	5	80-150CM/200-400L	Ø17	24×27.5×47.5cm	58×34.5×46cm	2/1	13.2kg

NEW


CFS缸外杀菌过滤桶
CFS UV CANISTER FILTER







- 高效节能电机，动力强劲低噪，咸/淡水适用。
- 内置UV杀菌灯，强效杀菌，安装方便。
- 多层滤篮，滤材自由配，层层递进，快速清澈水质。
- 按压式排气，轻松上水，吸水力强。
- 安全卡扣设计，密封防漏。
- 开关水咀，流量可调。
- Efficient and energy-saving motor, with strong power and low noise, suitable for salty/fresh water.
- Equipped with a built-in UV sterilization lamp, it has strong sterilization effect and is easy to install.
- Multi layer filter basket, freely mixed filter materials, progressive layer by layer, fast and clear water quality.
- Press type exhaust, easy to apply water, strong water absorption.
- Safety buckle design, sealed and leak proof.
- On/off water nozzle, adjustable flow rate.





CFS-401


CFS-601/601UV


CFS-801/801UV


CFS-1201/1201UV





110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	UV灯 UV Lamp	适用鱼缸 Suit For Aquarium	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CFS-401	10W	840L/H	2	X	40-80CM/40-150L	Φ12~16	21x21x28cm	46×33×36cm	2/1	8kg
CFS-601	10W	840L/H	3	X	60-90CM/60-200L	Φ12~16	21x21x33cm	46×33×36cm	2/1	8.2kg
CFS-801	10W	840L/H	4	X	80-120CM/150-250L	Φ12~16	21x21x38cm	46×33×41cm	2/1	8.9kg
CFS-1201	18W	1400L/H	4	X	80-150CM/200-400L	Φ16~20	26x26x46cm	58×39×48cm	2/1	13.2kg
CFS-601UV	10W	840L/H	3	7W	60-90CM/60-200L	Φ12~16	21x21x33cm	46×33×36cm	2/1	8.9kg
CFS-801UV	10W	840L/H	4	7W	80-120CM/150-250L	Φ12~16	21x21x38cm	46×33×41cm	2/1	9.4kg
CFS-1201UV	18W	1400L/H	4	7W	80-150CM/200-400L	Φ16~20	26x26x46cm	58×39×48cm	2/1	13.5kg

NEW

PFB外挂过滤器
BACK HANGING FILTER







- 带除油膜器和进气阀，滤水同时除油膜，给鱼缸增氧。
- 多层过滤篮，精心滤材搭配，快速培菌，高效滤水。
- 电机安装于顶盖里，采用两边卡扣锁紧，密封防漏。
- 节能电机搭配陶瓷轴转子，动力强劲低噪，流量可调。
- 采用可调式挂钩，通用有/无边框鱼缸，淡/海水适用。
- Equipped with a surface skimmer and intake valve, Remove the oil film and oxygenate the fish tank at the same time.
- Multi layer filter basket, carefully matched filter materials, Quickly cultivate nitrifying bacteria and efficiently filter water.
- The motor is placed on the top cover,The two side buckles are locked tightly, Sealed and leak proof.
- Energy saving motor paired with ceramic shaft rotor, Strong power, low noise, adjustable flow rate.
- Using adjustable hooks,Universal framed and borderless fish tanks, Suitable for freshwater/seawater.

串联 / Series connection


- 过滤器串联，大大增加了过滤层数，能使流量上升约30%，提升过滤和培菌效果，适用更大鱼缸，减少换水次数。
- The series connection of filters greatly increases the number of filter layers, which can increase the flow rate by about 30%, Improve filtration and bacterial cultivation effects, suitable for larger fish tanks, and reduce the number of water changes.




装配方式 / Installation type

- 出水可选鸭咀口或雨淋管；进水可按需求装配除油膜器，不装除油膜器可低水位吸水。
  The outlet can be equipped with a horn mouth or a rain shower pipe; Water inlet can be equipped with a surface skimmer as needed，without surface skimmer, it can absorb water at low water levels.


鸭嘴装配
Duckbill nozzle



雨淋装配
Rainshower pipe



低水位吸水
Low water level operation




110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	适用鱼缸 Suit For Aquarium	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
PFB-280	5.2W	500L/H	3	30-40CM/30-60L	12.5x16.5x23cm	45.5×42×48cm	12/1	13.9
PFB-380	5.2W	500L/H	4	30-50CM/30-80L	12.5x16.5x27cm	45.5×42×52cm	12/1	16.2
PFB-580	6.8W	650L/H	4	50-80CM/50-200L	12.5x20x27cm	45.5×42×52cm	12/1	19.7
PFB-680	6.8W	650L/H	5	50-80CM/50-200L	12.5x20x31cm	60×42×31cm	8/1	14.3
PFB-880	12.8W	750L/H	5	60-90CM/80-220L	14x25x34cm	52×50×33cm	6/1	15.2

NEW

HD背挂过滤器
HD BACK HANGING FILTER






- 适用于有/无边框鱼缸的过滤，淡/海水通用。
- 电机装在滤盒里，整体化外观，密封防漏，强劲低噪。
- 外挂安装，不占用缸内空间，瀑布出水令水景更富生气。
- 滤材组合：碳过滤棉，磷酸过滤棉，亚硝酸过滤棉等，自备除油膜器，由表到内全面快速培菌滤水。
- 设有流量旋钮，流量大小可自由调节。

- Suitable for framed/unframed fish tanks, freshwater/seawater filtration.
- The motor is installed inside the filter box, sealed and leak proof, with strong and low noise performance.
- External installation, does not occupy the space inside the cylinder, waterfall style water outlet.
- The filter material combination includes: carbon filter cotton, phosphate removal filter cotton, nitrite removal filter cotton, etc, equipped with suface skimmer, rapid bacterial cultivation, and comprehensive water filtration.
- Equipped with a flow control knob for adjustable flow rates.

型号 Model	HD-0100	HD-0300	HD-0400	HD-0600	HD-0800
					
滤材 Filter material	活性炭盒+滤棉 Carbon box+Filter cotton	过滤棉盒 Filter cotton box	过滤棉盒 Filter cotton box	过滤棉盒 Filter cotton box	过滤棉盒 Filter cotton box
					

优选滤材搭配
Selected filter material matching



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	适用边框 Applicable frame	适用鱼缸 Suit For Aquarium	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN
HD-0100	1.7W	260L/H	≤16mm	10-20cm/5-10L	10.5x8.5x11.5cm	38x35x39.5cm	27/1
HD-0300	2.5W	330L/H	≤16mm	20-30cm/10-20L	11x11x13.5cm	47x36.5x45.5cm	27/1
HD-0400	3.5W	520L/H	≤20mm	25-40cm/15-30L	15x11.5x16cm	50x39x36cm	16/1
HD-0600	6.5W	680L/H	≤20mm	35-60cm/25-70L	18x13x20cm	56x40x44cm	16/1
HD-0800	10.3W	850L/H	≤20mm	50-80cm/50-150L	31x13x20cm	42.5x32.5x44cm	6/1

NEW

AT-F802内置过滤器
AT-802 INTERNAL FILTER



- 用于鱼缸过滤和增氧，咸淡水通用。
- 个性外形，静音设计，动力强劲。
- 内置高密度过滤棉，高效过滤水。
- 吸盘式安装，拆洗便捷。





- Used for fish tank filtration and oxygenation, suitable for both saltwater and freshwater.
- Personalized appearance, silent design, powerful performance.
- Built in high-density filter cotton for efficient water filtration.
- Install with suction cup, Easy cleaning.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	滤材盒 Filter Box	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-F802	4.2W	450L/h	1	16.4×4.8×5.5cm	42*34.5*42cm	50/1	18.4kg
AT-F803	7.5W	780L/h	2	20.7×5.5×6.5cm	42*37*50cm	50/1	24.5kg
AT-F804	12.6W	1200L/h	2	23×6.4×7.3cm	47*42*26cm	25/1	14.8kg
AT-F805	20W	1400L/h	2	25.7×6.7×8.3cm	47*47*29cm	25/1	19.8kg


NEW


QM前置过滤器
QM PREFILTER



- 本品为无动力前置过滤器须连接缸外过滤桶或水泵才能使用。
- 外壳采用加厚塑料，上盖四面压扣锁紧，密封防漏。
- 采用高密度生化棉，高效滤水；水咀设有开关阀，流量可调。
- 能预先过滤水中残食杂质，大大减少过滤桶清洗次数。

- Unpowered pre-filter needs to be connected to an external filter bucket or water pump for use.
- Thickened plastic shell, with four sides of the top cover pressed and locked, sealed and leak proof.
- Using high-density filter cotton for efficient water filtration; There is an on/off valve on the water nozzle to regulate the flow rate.
- Filter impurities in the water in advance and reduce the frequency of cleaning the filter barrel.








型号 Model	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
QM-80	Ø17	19×19×43cm	59×40×40cm	6/1	11.79kg

QZ前置过滤器
QZ PREFILTER



- 前置过滤器预先过滤杂质，有效延长滤桶清洗周期。
- 产品无动力，需连接过滤桶或水泵使用。
- 密封防漏，清洗简便。

- Prefilter can remove the impurities in advance and extend the cleaning cycle of the canister filter.
- The product has no power, it needs to be connected to the canister filter or water pump for use.
- Leak-proof, easy to clean.



消耗类配件 Consumption parts	轮换类配件 Rotation class parts
转接头 Adapter 	过滤棉 Sponge 
FS30001	FS30103

3个月更换 3 months replacement



型号 Model	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
QZ-30	Ø12	14x14x35cm	58×44×38cm	12/1	9.6kg

AT缸外过滤桶
AT CANISTER FILTER

- 高效滤水，流量可调。
- 按压排气，自动吸水。
- 多层滤篮，滤材自由配。
- 咸/淡水适用。

- Efficient filtration, adjustable flow.
- Water will be absorbed when push the exhaust button.
- Multi layer filter baskets, random matching of filter materials.
- Suitable for freshwater and marine water.





消耗类配件 Consumption parts							轮换类配件 Rotation parts	
编码 Code / 型号 Model	水咀 Water Flow	电机座 Pumphead	转子 Impeller	机头胶圈 O-ring	滤水桶 Filter Bucket	配件包 Parts Package	白棉 White Sponge	黑棉 Black Sponge
AT-3335S	GY20140	GY20149	GY20139	GY20138	GY20146	GY20142	GY20144	GY20145
AT-3336S		GY20148			GY20147			
AT-3337S	GY20115	GY20130	GY20119	GY20118	GY20112	GY20124	GY20128	GY20127
AT-3338S		GY20129			GY20110			
AT-3339S	GY20106	GY20107	GY20174		GY20175	GY20108		

3个月更换 3 months replacement

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	适用鱼缸 Suit For Aquarium	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-3335S	10w	660L/H	2	40-80cm	Ø12	19x19x31cm	42×29.5×35.7cm	2/1	8.4kg
AT-3336S	10w	660L/H	3	60-90cm	Ø12	19x19x38cm	42×29.5×41.5cm	2/1	9.1kg
AT-3337S	18w	1400L/H	2	80-120cm	Ø17	23x23x38cm	49.6×33.5×41.5cm	2/1	12.2kg
AT-3338S	18w	1400L/H	3	90-150cm	Ø17	23x23x44cm	49.6×33.5×48.5cm	2/1	13.6kg
AT-3339S	27w	1800L/H	4	100-180cm	Ø19	23x23x53cm	51×37×55cm	2/1	15.6kg

RF缸外过滤桶
RF CANISTER FILTER

- 高效滤水，流量可调。
- 按压排气，自动吸水。
- 多层滤篮，滤材自由配。
- 咸/淡水适用。

- Efficient filtration, adjustable flow.
- Water will be absorbed when push the exhaust button.
- Multi layer filter baskets, random matching of filter materials.
- Suitable for freshwater and marine water.





消耗类配件 Consumption parts							轮换类配件 Rotation parts	
编码 Code / 型号 Model	水咀 Water Flow	电机座 Pumphead	转子 Impeller	机头胶圈 O-ring	滤水桶 Filter Bucket	配件包 Parts Package	白棉 White Sponge	黑棉 Black Sponge
RF-501	GY20176	GY20178	GY20139	GY20138	GY20184	GY20053	GY20144	GY20145
RF-701		GY20179			GY20185			
RF-1001	GY20177	GY20180	GY20119	GY20118	GY20186	GY20061	GY20128	GY20127
RF-1301		GY20181			GY20187			

3个月更换 3 months replacement

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	适用鱼缸 Suit For Aquarium	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
RF-501	12w	820L/H	2	40-80cm/40-150L	Ø12	22×22×34cm	42x30x36cm	2/1	10.0kg
RF-701	12w	820L/H	3	60-90cm/60-200L	Ø12	22×22×39cm	42x30x41cm	2/1	10.9kg
RF-1001	19w	1250L/H	2	80-120cm/150-250L	Ø17	26×26×40cm	49x34x41cm	2/1	14.5kg
RF-1301	19w	1250L/H	3	90-150cm/200-400L	Ø17	26×26×47cm	49x34x48cm	2/1	15.6kg

CF缸外过滤桶
CF CANISTER FILTER

- 高效滤水，流量可调。
- 按压排气，自动吸水。
- 多层滤篮，滤材自由配。
- 咸/淡水适用。

- Efficient filtration, adjustable flow.
- Water will be absorbed when push the exhaust button.
- Multi layer filter baskets, random matching of filter materials.
- Suitable for freshwater and marine water.





消耗类配件 Consumption parts							轮换类配件 Rotation parts	
编码 Code / 型号 Model	水咀 Water Flow	电机座 Pumphead	转子 Impeller	机头胶圈 O-ring	滤水桶 Filter Bucket	配件包 Parts Package	白棉 White Sponge	黑棉 Black Sponge
CF-600	GY20084	GY20088	GY20082	GY20077	GY20085	GY20081	GY20079	GY20078
CF-800		GY20087			GY20086			
CF-1000	GY20100	GY20104	GY20070	GY20094	GY20182	GY20097	GY20102	GY20103
CF-1200		GY20105			GY20183			

3个月更换 3 months replacement

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	适用鱼缸 Suit For Aquarium	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CF-600	12W	720L/H	2	40-70cm/40-160L	Ø12	22×22×34cm	43.5×33.5×34cm	2/1	10.0kg
CF-800	12W	720L/H	3	40-100cm/60-230L	Ø12	22×22×39cm	43.5×33.5×40cm	2/1	10.9kg
CF-1000	19W	1300L/H	2	70-120cm/150-450L	Ø17	26×26×40cm	50×38×40.5cm	2/1	14.5kg
CF-1200	19W	1300L/H	3	70-140cm/200-600L	Ø17	26×26×47cm	50×38×47.8cm	2/1	15.6kg

CF/UF-2200/2400缸外过滤桶
CF/UF-2200/2400CANISTER FILTER

- 高效滤水，咸/淡水适用。
- 多层滤篮，超大容量，滤材自由配。
- CF能按压上水，UF带UV杀菌灯。

- Efficient filtration, suitable for freshwater and marine water.
- Multi layer filter baskets, super capacity, free matching of filter material.
- Water will be absorbed when push the CF exhaust button, UF with UV lamp.





消耗类配件 Consumption parts							轮换类配件 Rotation parts	
编码 Code / 型号 Model	水咀 Water Flow	电机座 Pumphead	转子 Impeller	机头胶圈 O-ring	滤水桶 Filter Bucket	配件包 Parts Package	白棉 White Sponge	黑棉 Black Sponge
CF-2200	GY20016	GY20020	GY20069	GY20017	GY20195	GY20193	GY20013	GY20012
CF-2400		GY20019			GY20196			
UF-2200		GY20022			GY20195	GY20009	GY20194	GY20010
UF-2400		GY20021			GY20196			

3个月更换 3 months replacement

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	UV UV	排气按钮 Exhaust button	适用鱼缸 Suit For Aquarium	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CF-2200	32W	2700L/H	3	×	✓	400-700L	Ø23	33x33x45cm	68x44x45cm	2/1	22.2kg
CF-2400	32W	2700L/H	4	×	✓	500-800L	Ø23	33x33x52.5cm	68x44x52.5cm	2/1	23.8kg
UF-2200	42W	2700L/H	3	✓	×	400-700L	Ø23	33x33x45cm	68x44x45cm	2/1	22.2kg
UF-2400	42W	2700L/H	4	✓	×	500-800L	Ø23	33x33x52.5cm	68x44x52.5cm	2/1	23.8kg

CF/UF-3200/3400缸外过滤桶
CF/UF-3200/3400 CANISTER FILTER

- 高效滤水，咸/淡水适用。
- 多层滤篮，超大容量，滤材自由配。
- CF能按压上水，UF带UV杀菌灯。
- Efficient filtration, suitable for freshwater and marine water.
- Multi layer filter baskets, super capacity, free matching of filter material.
- Water will be absorbed when push the CF exhaust button, UF with UV lamp.





CF-3200


UF-3200


CF-3400


UF-3400



消耗类配件 Consumption parts							轮换类配件 Rotation parts	
编码 Code / 型号 Model	水咀 Water Flow	电机座 Pumphead	转子 Impeller	机头胶圈 O-ring	滤水桶 Filter Bucket	配件包 Parts Package	白棉 White Sponge	黑棉 Black Sponge
CF-3200	GY20015	GY20188	GY20069	GY20017	GY20191	GY20193	GY20013	GY20012
CF-3400		GY20018						
UF-3200		GY20189			GY20192	GY20009	GY20194	GY20010
UF-3400		GY20190						

3个月更换 3 months replacement

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤篮 Filter basket	UV UV	排气按钮 Exhaust button	适用鱼缸 Suit For Aquarium	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CF-3200	32W	2700L/H	3	×	✓	300-800 L	Ø23	33×33×47cm	43.5×33.5×34cm	2/1	10.0kg
CF-3400	32W	2700L/H	4	×	✓	300-900 L	Ø23	33×33×54cm	43.5×33.5×40cm	2/1	10.9kg
UF-3200	40W	2700L/H	3	✓	×	300-800 L	Ø23	33×33×47cm	50×38×40.5cm	2/1	14.5kg
UF-3400	40W	2700L/H	4	✓	×	300-900 L	Ø23	33×33×54cm	50×38×47.8cm	2/1	15.6kg

EF池/缸过滤桶
EF POND/TANK CANISTER FILTER


- 适用于池塘，大型鱼缸过滤。
- 超大容量，滤材自由配。
- 有自动清洗滤材功能。
- 产品无动力，需连接水泵使用。
- Suitable for ponds and big fish tank.
- Super capacity, free matching of filter materials.
- Filter materials can be cleaned automatically.
- Unpowered products,it needs to be connected to the water pump for use.


EF-3000
EF-3000UVC


EF-4000
EF-4000UVC


EF-5000
EF-5000UVC


EF-6000
EF-6000UVC



110~120V 60Hz / 220~240V 50Hz


型号 Model	适用水泵 Suit For Water Pump	出入水口 In. Out	UV灯功率 UVC Power	容量 Capacity	过滤高度 Filter Height	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
EF-3000	3000-5000	1.25”	/	15.5L	25cm	79.5×42×39.5cm	2/1	12.2kg
EF-3000uvc	3000-5000	1.25”	5W	15.5L	25cm			
EF-4000	5000-8000	1.25”	/	21.5L	35cm	79.5×42×49.5cm	2/1	15.0kg
EF-4000uvc	5000-8000	1.25”	9W	21.5L	35cm			
EF-5000	8000-13000	1.5”	/	27.5L	45cm	79.5×42×59.5cm	2/1	10.7kg
EF-5000uvc	8000-13000	1.5”	9W	27.5L	45cm			
EF-6000	10000-15000	1.5”	/	33.5L	55cm	79.5×42×69.5cm	2/1	10.0kg
EF-6000uvc	10000-15000	1.5”	9W	33.5L	55cm			

轮换类配件 Rotation parts	
编码 Code / 型号 Model	过滤绵 Sponge
EF-3000 EF-3000uvc	GY20025
EF-4000 EF-4000uvc	GY20029
EF-5000 EF-5000uvc	GY20024
EF-6000 EF-6000uvc	GY20023

3个月更换 3 months replacement

Q7外挂过滤桶
Q7 BACK HANG CANISTER FILTER






- 电机安装在滤桶内，一体成型。
- 加厚塑料，结实耐用，静音防漏。
- 滤材自由搭配，带除油膜器，UV杀菌灯。
- 通用有/无边框鱼缸，淡/海水适用。
- Motor is installed inside, integrated molding.
- Thick plastic, durable, ultra quiet and leak-proof design.
- Free matching of filter materials,with surface skimmer and UV germicidal lamp.
- Suitable for any aquarium and can be used in freshwater and marine water.





消耗类配件 Consumption parts			轮换类配件 Rotation parts	
编码 Code / 型号 Model	转子 Impeller	杀菌灯 UV Lamp	过滤棉 Sponge	活性炭盒 Carbon box
Q7-M	FS30093	FS30093	FS30078	FS30079
Q7-Muv				
Q7-L	FS30104		FS30105	FS30106
Q7-Luv				


3个月更换 3 months replacement

110~120V 60Hz / 220~240V 50Hz

型号 Model	UV灯 UV lamp	功率 Power	流量 Water flow	适用鱼缸 Suit for aquarium	产品尺寸 Product size	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
Q7-M	☒	10.5W	850L/H	50-80cm/50-150L	12×24.5×25cm	2个	52×39×54cm	12/1	16.2kg
Q7-Muv	7W	10.5W	850L/H	50-80cm/50-150L	12×24.5×25cm	2个	52×39×54cm	12/1	18.6kg
Q7-L	☒	18W	1100L/H	70-100cm/140-230L	31×14×30.8cm	3个	66×46×34cm	6/1	15.6kg
Q7-Luv	9W	18W	1100L/H	70-100cm/140-230L	31×14×30.8cm	3个	66×46×34cm	6/1	16.8kg

HK外挂过滤盒
HK BACK HANGING FILTER

- 电机安装于滤盒内，一体成型，防漏静音。
- 可按玻璃厚度裁剪卡扣，通用有/无框鱼缸。
- 流量可调，带除油膜器，滤材更换简便。
- Motor installed in filter box, integrated molding, leak-proof and quiet design.
- The buckle is cut according to the thickness of the glass, and can be used for fish tanks with or without borders
- Adjustable flow of rate, using surface skimmer, easy to replace the filter materials.



轮换类配件 Rotation parts								
型号 Model	HK-0100		HK-0300		HK-0400		HK-0600	
滤材 Filter material	活性炭盒 Carbon box	过滤棉 Sponge	活性炭盒 Carbon box	过滤板 Filter board	活性炭盒 Carbon box	过滤板 Filter board	活性炭盒 Carbon box	过滤棉 Sponge
编码 Code	FS30052	FS30098	FS30051	FS30099	FS30050	FS30067	FS30049	FS30101

3个月更换 3 months replacement


消耗类配件 Consumption parts	
转子 Impeller	
型号 Model	编码 Code
HK-0100	WP10089
HK-0300	FS30100
HK-0400	WP10066
HK-0600	FS30102

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	最大流量 Q Max	适用鱼缸 Applicable	可裁卡扣 Cut buckles	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
HK-0100	1.5w	144L/H	10-20cm/5-10L	☒	8.9×7.5×12cm	43×36×32cm	24/1	8.0kg
HK-0300	2.2w	280L/H	20-30cm/10-20L	☑	11.4×8.3×13.7cm	48×38×33cm	24/1	11.6kg
HK-0400	4.2w	372L/H	25-40cm/15-30L	☑	14.8×9.3×16.8cm	43×33×39cm	16/1	11.1kg
HK-0600	6w	720L/H	35-50cm/25-50L	☑	19.4×11.7×20.4cm	52×42×49cm	16/1	18.8kg



HF-B背挂过滤器
HF-B BACK HANGING FILTER





- 背挂在鱼缸上，瀑布出水。
- 节能电机高效低噪，流量可调。
- 优选滤材搭配，清洗更换简便。
- Hanging on the back of the fish tank, the waterfall comes out of the water.
- Energy saving motor has high efficiency, low noise and adjustable flow.
- Excellent filter materials matching, easy to clean and replace.



轮换类配件 Rotation parts			
型号 Model	HF-B0200	HF-B0300	HF-B0400
滤材套装 Filter material suit			
编码 Code	FS30055	FS30054	FS30053

3个月更换 3 months replacement


消耗类配件 Consumption parts	
转子 Impeller	

型号 Model	编码 Code
HF-B0200	FS30087
HF-B0300	FS30083
HF-B0400	FS30080

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
HF-B0200	2.5w	200L/h	35×26×34cm	12/1	5.6kg
HF-B0300	4w	350L/h	41×34.5×34cm	12/1	8.6kg
HF-B0400	5w	450L/h	41.5×39.5×37.2cm	12/1	10.5kg

HF背挂过滤器
HF BACK HANGING FILTER







- 背挂在鱼缸上，瀑布出水。
- 节能电机高效低噪，流量可调。
- 优选滤材搭配，清洗更换简便。
- Hanging on the back of the fish tank, the waterfall comes out of the water.
- Energy saving motor has high efficiency, low noise and adjustable flow.
- Excellent filter materials matching, easy to clean and replace.

轮换类配件 Rotation parts										
型号 Model	HF-0100		HF-0300		HF-0400		HF-0600		HF-0800	
滤材 Filter material	活性炭盒 Filtering cotton	过滤棉 Sponge	活性炭盒 Carbon box	过滤板 Filter board	活性炭盒 Carbon box	过滤板 Filter board	活性炭盒 Carbon box	过滤板 Filter board	活性炭盒 Carbon box	过滤板 Filter board
编码 Code	FS30052	FS30097	FS30062	FS30056	FS30066	FS30067	FS30074	FS30075	FS30069	FS30096

3个月更换 3 months replacement

消耗类配件 Consumption parts	
转子 Impeller	

型号 Model	编码 Code
HF-0100	FS30057
HF-0300	FS30060
HF-0400	FS30064
HF-0600	FS30071
HF-0800	FS30059


110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
HF-0100	2.3w	190L/h	38×27.5×41.3cm	24/1	8.6kg
HF-0300	2.5w	290L/h	34.8×33.2×33.6cm	12/1	6.9kg
HF-0400	3w	350L/h	34.8×33.2×37.6cm	12/1	9.2kg
HF-0600	6w	660L/h	48.3×43×44.5cm	12/1	16.0kg
HF-0800	8.5w	900L/h	50×37.5×45.5cm	6/1	11.7kg




NZ内置过滤器
NZ INTERNAL FILTER






- 采用吸盘式安装，可以直立或横放。
- 过滤棉搭配活性碳盒，带UV灯，滤水同时杀菌。
- 带水量阀，流量可调，滤材更换方便。
- Installed by suction cup and can be placed vertically or horizontally.
- Using sponge match with activated carbon box and UV lamp, sterilizing when filtered the water.
- With water valve, adjustable flow, easy to clean and replace filter materials.







型号 Model / 编码 Code	消耗类配件 Consumption class parts		轮换类配件 Rotation class parts	
	转子 Impeller	杀菌灯 UV Lamp	过滤棉 Sponge	活性炭盒 Carbon box
NZ-1	FS30089	/	FS30027	FS30090
NZ-2	FS30091	/	FS30026	FS30092
NZ-3	FS30047	/	FS30025	FS30042
NZ-4 NZ-4UV	FS30040	UV60021	FS30024	FS30035
NZ-5 NZ-5UV	FS30033	UV60006	FS30023	FS30028

3个月更换 3 months replacement

110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	UV灯 UV	最大流量 Q Max	适用鱼缸 Applicable	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
NZ-1	2.5W	/	240L/h	10-30cm/5-20L	5.5x4x16cm	38×37×37cm	56/1	16.4kg
NZ-2	7W	/	420L/h	20-40cm/10-30L	6.5x4.5x18cm	41×35×41cm	48/1	21.3kg
NZ-3	11W	/	1050L/h	30-50cm/20-40L	7.5x5.5x23cm	44×41×27.5cm	24/1	15.9kg
NZ-4	11W	/	950L/h	50-60cm/40-90L	10x6.5x24cm	58×42×44cm	30/1	15.7kg
NZ-5	11W	/	800L/h	50-60cm/40-90L	10x6.5x31cm	58×42×36cm	20/1	20.2kg
NZ-4UV	11W	7W	950L/h	50-80cm/40-120L	10x6.5x24cm	58×42×44cm	30/1	27.8kg
NZ-5UV	11W	9W	800L/h	50-80cm/40-120L	10x6.5x31cm	58×42×36cm	20/1	20.2kg



SP缸内背挂过滤器
SP BACK HANGING FILTER

颜色 COLOR





- 采用节能电机，高效低噪。
- 优质滤材搭配，清洗更换简便。
- 内置加热棒槽，可装加热棒。
- Energy saving motor, high efficiency and low noise.
- High quality filter materials matching, easy replacement.
- Built-in heater bin, heater can be installed.

轮换类配件 Rotation parts						
型号 Model	SP-100	SP-200	SP-500		SP-800	
滤材 Filter material	滤材套装 Filter material suit	滤材套装 Filter material suit	活性炭盒 Carbon box	过滤棉 Sponge	活性炭盒 Carbon box	过滤棉 Sponge
编码 Code	FS30019	FS30019	FS30086	FS30094	FS30082	FS30095

3个月更换 3 months replacement

消耗类配件 Consumption parts	
转子 Impeller	

型号 Model	编码 Code
SP-100	WP10089
SP-200	FS30087
SP-500	FS30083
SP-800	FS30080


110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	最大流量 Q Max	适用鱼缸 Applicable	适用玻璃 Suitable glass	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
SP-100	2w	100L/h	10-20cm/5-20L	≤ 4mm	11×3.5×12cm	39×24×35cm	30/1	8.0kg
SP-200	2.5w	200L/h	20-40cm/10-30L	≤ 5mm	14.5×4×19cm	51×30×33cm	16/1	11.0kg
SP-500	4w	350L/h	30-50cm/25-50L	≤ 6mm	20×5×23cm	47×30×44cm	12/1	11.8kg
SP-800	5w	450L/h	50-80cm/50-120L	≤ 6mm	26×5×23cm	54×54×30cm	14/1	17.5kg



NEW 龟缸滴流过滤器
TURTLE TANK FILTER

颜色 COLOR



- 滴流过滤，超低水位吸水，快速吸便。
- 多重滤材，快速净水培菌。
- 吸盘安装，易替换快清洗。
- Drip flow filtration, ultra-low water level water absorption, fast suction.
- Multiple filter materials for rapid purification of hydroponic bacteria.
- Suction cup installation, easy to replace and quick to clean.


TF-01


TF-02




110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	滤材盒 Filter Box	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
TF-01	.5w	450L/h	2	13.5x5x16.5cm	46×38×36cm	32/1	18kg
TF-02	5w	450L/h	3	13.5x5x23.5cm	50×46×36cm	32/1	21.2kg

3个月更换 3 months replacement

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	过滤棉 Sponge	活性炭盒 Carbon box
TF-01	FS30107	FS30107
TF-02		

SKF三角过滤器
SKF CORNER FILTER



- 采用吸盘式安装，可以直立或横放。
- 滤材盒集成过滤棉和活性碳，更换方便。
- 带水量阀，流量可调。
- Installed by suction cup and can be placed vertically or horizontally.
- Filter material box includes sponge and activated carbon,easy to replace.
- With water valve, adjustable flow.


SKF-200



SKF-300


110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q Max	适用鱼缸 Applicable	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
SKF-200	2.5W	300L/h	20-40cm	7.4x4.9x16.9cm	58.5×35.5×25cm	20/1	7.9kg
SKF-300	2.5W	300L/h	20-50cm	7.4x4.9x24.4cm	58.5×35.5×32.5cm	20/1	10.2kg

3个月更换 3 months replacement

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	碳盒 Carbon box
SKF-200	WP10092	FS30014
SKF-300		

TSF三角过滤器
TSF CORNER FILTER



- 吸盘式安装，过滤水体，拆洗便捷。
- 节能电机搭配耐磨转子，高效低噪。
- 多个滤盒，内置过滤棉，过滤效果好。
- Installed by suction cup, filter water, easy to clean.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.
- Multiple filter boxes, built-in sponge, filtering effect is good.


TSF-200 TSF-450 TSF-1000




110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
TSF-200	4.8w	240L/h	3	44*41*26.5cm	24/1	12.6kg
TSF-450	8.8w	650L/h	3	44.5×40.5×30.8cm	15/1	15.2kg
TSF-1000	15.5w	1150L/h	3	44×34.5×38.5cm	8/1	16.6kg

3个月更换 3 months replacement

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	过滤棉 Sponge
TSF-200	FS30008	FS30010
TSF-450	FS30005	FS30007
TSF-1000	FS30011	FS30013

AT-F100内置过滤器
AT-F100 INTERNAL FILTER




AT-F101 AT-F102 AT-F103 AT-F104



- 具备运水过滤和进气功能。
- 节能电机搭配耐磨转子，高效低噪。
- 内置过滤棉，过滤效果好。
- 吸盘式安装，拆洗便捷。
- With filtration and air intake functions.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.
- Built-in sponge, filtering effect is good.
- Installed by suction cup, easy to clean.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-F101	4w	350L/h	0.6m	1	38.6×37.2×42.3cm	48/1	15.5kg
AT-F102	6w	500L/h	1.05m	2	41.7×26.8×45.9cm	24/1	14.8kg
AT-F103	11w	1200L/h	1.2m	2	42.2×31.3×50.4cm	24/1	21.8kg
AT-F104	28w	2000L/h	2m	2	36.8×35.8×44.3cm	12/1	17.7kg

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	过滤棉 Sponge
AT-F101	WP10066	WP10031
AT-F102	WP10064	WP10030
AT-F103	WP10062	WP10029
AT-F104	WP10060	WP10028

3个月更换 3 months replacement

AT-F200内置过滤器
AT-F200 INTERNAL FILTER




AT-F201 AT-F202 AT-F203



- 具备运水过滤和进气功能。
- 节能电机搭配耐磨转子，高效低噪。
- 内置过滤棉，过滤效果好。
- 吸盘式安装，拆洗便捷。
- With filtration and air intake functions.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.
- Built-in sponge, filtering effect is good.
- Installed by suction cup, easy to clean.


110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-F201	9w	650L/h	0.9m	2	49.6×26.6×44.7cm	24/1	16.2kg
AT-F202	10w	1200L/h	1.3m	2	47×31.3×58.3cm	24/1	21.1kg
AT-F203	32w	2000L/h	2m	2	34.8×33.3×47.7cm	12/1	15.1kg

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	过滤棉 Sponge
AT-F201	WP10051	WP10029
AT-F202	WP10049	WP10091
AT-F203	WP10047	WP10028

3个月更换 3 months replacement

AT-F300内置过滤器
AT-F300 INTERNAL FILTER







- 具备运水过滤和进气功能。
- 节能电机搭配耐磨转子，高效低噪。
- 内置过滤棉，过滤效果好。
- 吸盘式安装，拆洗便捷。

- With filtration and air intake functions.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.
- Built-in sponge, filtering effect is good.
- Installed by suction cup, easy to clean.


110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-F300	2w	150L/h	0.4m	1	38.6×37.2×42.3cm	48/1	15.5kg
AT-F301	2.5w	230L/h	0.5m	1	41.7×26.8×45.9cm	24/1	14.8kg
AT-F302	5w	450L/h	0.7m	1	42.2×31.3×50.4cm	24/1	21.8kg
AT-F303	6w	600L/h	0.9m	1	36.8×35.8×44.3cm	12/1	17.7kg
AT-F304	8w	800L/h	1.1m	1	49.6×26.6×44.7cm	24/1	16.2kg
AT-F305	13w	1200L/h	1.3m	1	47×31.3×58.3cm	24/1	21.1kg
AT-F306	27w	2000L/h	2m	1	34.8×33.3×47.7cm	12/1	15.1kg

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	过滤棉 Sponge
AT-F300	WP10089	WP10093
AT-F301	WP10092	WP10025
AT-F302	WP10019	WP10021
AT-F303	WP10045	WP10017
AT-F304	WP10043	WP10016
AT-F305	WP10041	WP10094
AT-F306	WP10039	WP10095

3个月更换 3 months replacement

PF内置过滤器
PF INTERNAL FILTER







- 具备运水过滤和进气功能。
- 节能电机搭配耐磨转子，高效低噪。
- 内置过滤棉，过滤效果好。
- 吸盘式安装，拆洗便捷。

- With filtration and air intake functions.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.
- Built-in sponge, filtering effect is good.
- Installed by suction cup, easy to clean.


110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q.max	扬程 H.max	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
PF-200	5w	360L/h	0.8m	2	36×34.3×38cm	48/1	12.3kg
PF-400	6w	600L/h	0.85m	2	38×37.5×32.2cm	30/1	13.6kg
PF-500	8w	730L/h	0.98m	2	43.2×36.8×33.2cm	30/1	16.3kg
PF-1100	15w	1100L/h	1.4m	2	63×30×48.8cm	24/1	20.4kg
PF-2000	30w	2200L/h	2.2m	2	46×31.5×38cm	12/1	17.7kg
PF-2500	45w	2500L/h	2.25m	2	50×37.5×41.3cm	12/1	24.4kg
PF-3500	61w	3500L/h	2.9m	2	40.5×39×28.4cm	6/1	16.5kg

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	过滤棉 Sponge
PF-200	WP10083	WP10096
PF-400	WP10045	WP10097
PF-500	WP10043	WP10098
PF-1100	WP10012	WP10099
PF-2000	WP10009	WP10100
PF-2500	WP10086	WP10101
PF-3500	WP10006	WP10102

3个月更换 3 months replacement

SIF内置过滤器
SIF INTERNAL FILTER







- 吸盘式安装，过滤水体，拆洗便捷。
- 节能电机搭配耐磨转子，高效低噪。
- 多个滤盒，内置过滤棉，过滤效果好。

- Installed by suction cup, filter water, easy to clean.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.
- Multiple filter boxes, built-in sponge, filtering effect is good.

110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q.max	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
SIF-400	4.2w	168L/h	2	40×34.5×40.8cm	24/1	13.2kg
SIF-500	4.2w	168L/h	3	50×34.5×26.3cm	15/1	9.2kg
SIF-600	4.2w	168L/h	4	50×34.5×31cm	15/1	10.9kg
SIF-700	7.4w	400L/h	2	55×38.5×30cm	15/1	14.4kg
SIF-800	7.4w	400L/h	3	55×38.5×37cm	15/1	15.2kg
SIF-900	7.4w	400L/h	4	55×38.5×44cm	15/1	19.0kg

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	过滤棉 Sponge
SIF-400	FS30016	FS30022
SIF-500		
SIF-600		
SIF-700	FS30017	FS30021
SIF-800		
SIF-900		

3个月更换 3 months replacement

AT内置过滤器
AT INTERNAL FILTER







- 具备运水过滤和进气功能，吸盘式安装，拆洗便捷。
- 节能电机搭配耐磨转子，高效低噪。
- 多个滤盒，内置过滤棉，过滤效果好。

- It has filtering and air intake functions, suction cup installation, and easy disassembly and cleaning.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.
- Multiple filter boxes, built-in sponge, filtering effect is good.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	过滤盒 Filter box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-2218F	8w	650L/h	2	47×31.3×58.3cm	24/1	21.1kg
AT-2219F	10w	1200L/h	3	48.3×37.3×52.8cm	24/1	20.3kg
AT-2220F	32w	1800L/h	4	45.9×32.5×44.1cm	12/1	15.8kg

编码 Code / 型号 Model	消耗类配件 Consumption class parts	轮换类配件 Rotation class parts
	转子 Impeller	过滤棉 Sponge
AT-2218F	WP10051	WP10103
AT-2219F	WP10049	
AT-2220F	WP10047	

3个月更换 3 months replacement





控制盒操控
Control box operation



转子组件
Rotor assembly



低水位抽水
Low water level pumping

GXS可控变频水泵

GXS FREQUENCY CONVERSION WATER PUMP



- 产品外观新颖，配色时尚，拆洗维护十分便捷。
- 采用永磁变频电机搭配加长陶瓷轴转子，节能静音，动力强劲。
- 拥有泵水(10档)、造浪(10档)、暂停喂食(10/30/60分钟)三项功能。
- 通过控制盒设置功能和档位，状态转换灵活，稳顺。
- 拥有6重安全保护，空转、离水、过压、过流、堵转、缺相保护，用得放心。
- 配底吸可低水位抽水，适用淡/海水，水陆两用。
- The product has a novel appearance, fashionable color matching, and is very convenient for disassembly, cleaning, and maintenance.
- Adopting a variable frequency brushless motor paired with an extended ceramic shaft rotor, energy-saving, low noise, and strong power.
- It has three functions: pumping water (10 levels), creating waves (10 levels), and pausing feeding (10/30/60 minutes).
- By setting functions and gears through the control box, the state transition is flexible and stable.
- There are 6 levels of safety protection, including idle, off water, overvoltage, overcurrent, rotor blockage, and phase loss protection, ensuring safe use.
- Equipped with bottom suction for low water level pumping,Suitable for fresh/seawater,Dual use of water and land.



控制面板 Control panel





底吸装配
Bottom suction installation



隔沙装配
Sand separation installation

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
GXS-2000	5~13W	1000~2000L/h	3M	15.5*8.2*11.2cm	42×25.8×42cm	8/1	12.6kg
GXS-2500	6~18W	1500~2500L/h	3.3M	15.5*8.2*11.2cm	42×25.8×42cm	8/1	12.8kg
GXS-3500	7~25W	2000~3500L/h	3.6M	15.5*8.2*11.2cm	42×25.8×42cm	8/1	13.1kg
GXS-6000	11~40W	3000~6000L/h	4.5M	15.5*8.2*11.2cm	42×25.8×42cm	8/1	13.3kg
GXS-9000	15~60W	4000~9000L/h	5.2M	19.2*9.8*13.6cm	46×27.8×38cm	6/1	17.7kg
GXS-12000	18~80W	4500~12000L/h	5.8M	19.2*9.8*13.6cm	46×27.8×38cm	6/1	17.8kg
GXS-15000	25~115W	5500~15000L/h	6.5M	23*11.2*14.7cm	50×29.5×34cm	4/1	20.3kg
GXS-20000	35~150W	6000~20000L/h	7.0M	23*11.2*14.7cm	50×29.5×34cm	4/1	20.3kg

FAX可控变频锦鲤池泵

FAX CONTROLLABLE FREQUENCY CONVERSION KOI POND PUMP



控制盒操控
Control box operation




低水位抽水
Low water level pumping



- 适合池塘，抽水之用，低水位吸水，大流量。
- 采用永磁变频电机搭配加长陶瓷轴转子，节能静音，动力强劲。
- 拥有泵水(10档)、暂停喂食(10/30/60分钟)两项功能。
- 通过控制盒设置功能和档位，状态转换灵活，稳顺。
- 六重安全保护：空转、离水、过压、过流、堵转、缺相，使用更放心。
- 管道泵功能：拆下底部隔沙装上管道，实现更深水抽水（图一）。

- Suitable for pond and pumping purposes, capable of low-level water suction and high flow rate.
- It adopts a permanent magnet variable frequency motor paired with an extended ceramic shaft rotor, achieving energy saving, silent operation, and strong power.
- It has two functions: water pumping (10 levels) and feeding pause (10/30/60 minutes).
- The function and gear can be set through the control box, ensuring flexible and smooth state transitions.
- Six safety protections: including protection against idling, Leave water, overvoltage, overcurrent, locked-rotor, and phase loss, Use with peace of mind..
- Pipeline pump function: Remove the bottom filter cover and install the pipeline to achieve deeper water pumping (Figure 1).





图一：管道泵装配
Figure 1: Assembly of pipeline pump

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN
FAX-15	15~60w	20000L/h	2m	75mm	Φ18x62cm	54×27.5×67cm	2/1
FAX-20	18~85w	25000L/h	2.6m	75mm	Φ18x62cm	54×27.5×67cm	2/1
FAX-25	25~105w	30000L/h	3m	75mm	Φ18x62cm	54×27.5×67cm	2/1
FAX-30	35~150w	35000L/h	3.8m	90mm	Φ19.5x65cm	54×27.5×67cm	2/1
FAX-35	45~200w	40000L/h	5m	90mm	Φ19.5x65cm	54×27.5×67cm	2/1
FAX-50	50~250w	50000L/h	5.5m	110mm	Φ24x72cm	29.5×29.5×74cm	1/1

HAX变频锦鲤池泵

HAX FREQUENCY CONVERSION KAM CARP POND PUMP





- 适合池塘，抽水之用，低水位吸水，大流量。
- 变频电机，陶瓷轴转子，稳顺低噪，高效节能。
- 设有无水保护、缺水保护、过载保护。
- 管道泵功能：拆下底部隔沙装上管道，实现更深水抽水（图一）。

- Suitable for fish ponds for pumping,low water level absorption, large flow.
- Variable frequency motor, used ceramic impeller, energy saving, low noise and powerful.
- It has no water protection, water shortage protection and overload protection.
- Pipeline pump function: Remove the bottom filter cover and install the pipeline to achieve deeper water pumping (Figure 1).



图一：管道泵装配
Figure 1: Assembly of pipeline pump

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
HAX-15	60w	20000L/h	2m	75mm	Φ18x62cm	54×27.5×67cm	2/1	10kg
HAX-20	85w	25000L/h	2.6m	75mm	Φ18x62cm	54×27.5×67cm	2/1	10.09kg
HAX-25	105w	30000L/h	3m	75mm	Φ18x62cm	54×27.5×67cm	2/1	10.12kg
HAX-30	150w	35000L/h	3.8m	90mm	Φ19.5x65cm	54×27.5×67cm	2/1	12.09kg
HAX-35	200w	40000L/h	5m	90mm	Φ19.5x65cm	54×27.5×67cm	2/1	12.39kg
HAX-50	250w	50000L/h	5.5m	110mm	Φ24x72cm	29.5×29.5×74cm	1/1	8.65kg

消耗类配件 Consumption parts						
转子 Impeller	型号 Model	HAX-15	HAX-20	HAX-25	HAX-30	HAX-35	HAX-50
	编码 Code	YB80018			YB80017		YB80038

HA/HAS锦鲤池泵

HA/HAS KAM CARP POND PUMP



HAS　　HA

- 适合池塘，抽水之用，低水位吸水，流量大。
- 采用高性能电容电机，陶瓷轴转子，稳顺低噪。
- 散热性能好，设有过热保护。
- 管道泵功能：拆下底部隔沙装上管道，实现更深水抽水（图一）。

- Suitable for pond and pumping purposes, capable of low-level water suction and high flow rate.
- Adopt high performance capacitor motor and ceramic impeller, stable, low noise.
- Good heat dissipation performance, with overheating protection.
- Pipeline pump function: Remove the bottom filter cover and install the pipeline to achieve deeper water pumping (Figure 1).



图一：管道泵装配
Figure 1: Assembly of pipeline pump

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	出水口 Outlet	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
HA-20	175w	15500L/h	2.6m	75mm	Φ18x62cm	55×28×67cm	2/1	11.5kg
HA-25	190w	17000L/h	3.2m	75mm	Φ18x62cm	55×28×67cm	2/1	11.5kg
HA-30	270w	26000L/h	3.8m	90mm	Φ19.5x65cm	55×28×67cm	2/1	14.5kg
HA-35	330w	28000L/h	4m	90mm	Φ19.5x65cm	55×28×67cm	2/1	14.5kg
HAS-20	175w	15500L/h	2.6m	75mm	Φ18x32cm	45.7×42.7×35.5cm	4/1	18.1kg
HAS-25	190w	17000L/h	3.2m	75mm	Φ18x32cm	45.7×42.7×35.5cm	4/1	17.9kg
HAS-30	270w	26000L/h	3.8m	90mm	Φ19.5x35cm	58.7×43.7×39cm	4/1	24.2kg
HAS-35	330w	28000L/h	4m	90mm	Φ19.5x35cm	58.7×43.7×39cm	4/1	24.2kg

消耗类配件 Consumption parts					
转子 Impeller	型号 Model	HA-20、HAS-20	HA-25、HAS-25	HA-30、HAS-30	HA-35、HAS-35
	编码 Code	YB80025	YB80023	YB80021	YB80019

NEW


AT-802多功能潜水泵
MULTI FUNCTIONAL WATER PUMP


- 适用于鱼缸抽水、过滤和增氧，咸淡水通用。
- 个性外形，静音设计，动力强劲。
- 用旋钮切换前或底吸进水，可调流量。

- Suitable for fish tank pumping, filtration, and oxygenation, suitable for both saltwater and freshwater.
- Personalized appearance, silent design, powerful performance.
- Use the knob to switch between front or bottom water inlet, and also adjust the flow rate.













110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-802	4.2W	450L/h	0.8M	8x4.8x5.5cm	41×37×38cm	60/1	18.7kg
AT-803	7.5W	780L/h	1.1M	8.6x5.5x6.5cm	41×37×38cm	60/1	23kg
AT-804	12.6W	1200L/h	1.2M	9.9x6.4x7.3cm	47×30×35cm	36/1	16.5kg
AT-805	20W	1400L/h	1.6M	10.6x6.7x8.3cm	47×30×35cm	36/1	22kg
AT-806	28.5W	2100L/h	2.4M	13.2x7.6x9.9cm	35×26×41cm	18/1	15.8kg
AT-807	43W	2700L/h	2.8M	14.5x7.6x9.9cm	35×26×41cm	18/1	19.6kg
AT-808	58.5W	3000L/h	3M	17.2x8.8x10.8cm	44×30.5×28cm	12/1	19.9kg

BX兴波造浪泵
BX WAVE MAKER PUMP




- 吸盘式安装，通用各种鱼缸。
- 造浪角度360° 可调。
- 螺旋桨水叶，流量大。

- Use the suction cup to install,suitable for all kinds of aquarium tanks.
- Full 360 degree rotation for wave direction .
- Use propeller blades, large flow.

消耗类配件 Consumption parts			
转子 Impeller	型号 Model	BX-2500	BX-5000	BX-10000
	编码 Code	WP10067	WP10068	WP10069

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
BX-2500	2.5w	2500L/h	Φ5.6x7.5cm	39.5×36×38cm	48/1	11.8kg
BX-5000	5w	5000L/h	Φ7x9.5cm	42.5×32×35cm	36/1	12.6kg
BX-10000	10w	10000L/h	Φ9.3x12.5cm	42×35×35cm	24/1	13.5kg



RX可控变频造浪泵
FREQUENCY CONVERSIONWAVE MAKER PUMP










- 采用无刷伺服变频电机，节能低噪，动力强劲。
- 无线联动功能，实现多台交互工作。
- 强磁吸盘安装，造浪角度360°可调。
- 带控制盒，5种造浪模式，6档流量调节，10分钟喂食暂停。

- It adopts the brushless servo variable frequency motor, energy saving,low noise and powerful.
- Wireless linkage function, several pumps can be operated by one smart controller.
- Use the strong magnetic suction cup to install, full 360 degree rotation for wave direction.
- With the controller ,5 wave modes, 6 levels of water flow and 10 minutes feed mode.



输入Input：100~240V/50~60Hz 输出Output:DC24V


型号 Model	功率 Power	流量 Q.max	产品尺寸 Product size	可调 Adjustable	适合玻璃 Suitable glass	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
RX-40	10w	4000L/h	Φ6x8.5cm	√	≤12	38×38×40cm	24/1	16.9kg
RX-80	18w	8000L/h	Φ7.5x11cm	√	≤12	46×38×40cm	24/1	21.6kg
RX-120	33w	13000L/h	Φ9x12.5cm	√	≤19	46×44×31cm	18/1	22.7kg
RX-160	55w	20000L/h	Φ10.5x14cm	√	≤19	46×37×39cm	12/1	20.5kg

消耗类配件 Consumption parts		
编码 Code / 型号 Model	转子 Impeller	控制盒 Controller
RX-40	YB80047	YB80046
RX-80	YB80048	
RX-120	YB80049	
RX-160	YB80050	

PX可控变频横流泵
FREQUENCY CONVERSIONWAVE MAKER PUMP












- 无刷伺服变频电机，节能低噪，动力强劲，横流造浪水流均匀。
- 无线联动功能，实现多台泵交互工作。
- 强磁吸盘安装，出水口可左右调节方向。
- 带控制盒，5种造浪模式，6档流量调节，10分钟喂食暂停。

- It adopts the brushless servo variable frequency motor, energy saving, low noise and powerful , horizontal wave making flow is uniform.
- Wireless linkage function, several pumps can be operated by one smart controller.
- Use the strong magnetic suction cup to install, the water outlet can be adjusted to the right or left.
- With the controller ,5 wave modes, 6 levels of water flow and 10 minutes feed mode.




输入Input：110~240V/50~60Hz 输出Output:DC24V

型号 Model	功率 Power	产品尺寸 Product size	可调 Adjustable	适合玻璃 Suitable glass	适用鱼缸 Suitable fish tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
PX-10	25w	30x8.5x5.5cm	√	12mm<	0.6~1.2m	45×34×38cm	10/1	13.2kg
PX-20	45w	31.5x9x6cm	√	15mm<	1.2~2m	45×34×38cm	10/1	15.7kg
PX-30	55w	35x9.5x6.5cm	√	19mm<	1.5~2.5m	45x38x38cm	10/1	17.7kg

消耗类配件 Consumption parts		
编码 Code / 型号 Model	转子 Impeller	控制盒 Controller
PX-10	YB80032	YB80033
PX-20	YB80034	YB80035
PX-30	YB80036	YB80037

TF3合1潜水泵
TF 3 IN 1 WATER PUMP





- 适用于鱼缸抽水过滤。
- 1 集泵水、2 进气、3 喷水三项功能于一体。
- 节能电机搭配耐磨转子，高效低噪。
- It is suitable for fish tank pumping and filtering.
- Set 1 water pumping , 2 air intake, 3 water spray three functions in one.
- Energy saving motor with wear-resistant impeller, high efficiency and low noise.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
TF-1000	6w	370L/h	0.9m	10.3×5×9.7cm	44×36×29cm	20/1	9.4kg
TF-1500	13w	700L/h	1.3m	13×5.8×11cm	44×36×29cm	20/1	14.0kg
TF-2000	29w	900L/h	2m	14.5×7×12cm	44×36×29cm	20/1	17.1kg

消耗类配件 Consumption class parts

型号 Model / 编码 Code	转子 Impeller	配件包 Spare parts
TF-1000	WP10070	WP10082
TF-1500	WP10071	WP10081
TF-2000	WP10072	

MX变频水泵
MX VARIABLE FREQUENCY PUMP







MX-100S

- 采用无刷伺服变频技术，状态转换灵活，稳顺，低噪。
- 采用陶瓷轴转子，配有底吸可低水位吸水，适用淡/海水，水陆两用。
- 设有防堵转保护、过热保护，防漏电低压输出。
- 控制盒设置流量和扬程，有10分钟暂停喂食功能。
- The frequency conversion technology of brushless servo is adopted, state transition is flexible, stable and low noise.
- Use the ceramic impeller, with bottom suction to absorb water at low water level, suitable for fresh and marine water, amphibious pump.
- Equipped with anti-blocking protection, overheat protection, anti-leakage , low voltage output.
- The controller can adjust the flow and the lift,with 10 minutes feed pause.

消耗类配件 Consumption parts

型号 Model / 编码 Code	转子 Impeller	配件包 Spare parts	控制盒 Controller
MX-10 / MX-10S	Yb80059	YB80054	YB80058
MX-20 / MX-20S	YB80051		
MX-40 / MX-40S	YB80052	YB80055	
MX-60 / MX-60S	YB80053		
MX-100S	YB80027	YB80056	YB80057



带控制盒 With control box　　Input:AC 110~240V 50/60Hz Output: DC 24v

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MX-10S	10.5w	1100L/h	1.7m	11.6×6.5×9.3cm	44×32×35cm	18/1	15.3kg
MX-20S	21w	1950L/h	2.4m	12.5×6.5×10cm	44×32×35cm	18/1	16.2kg
MX-40S	30w	4000L/h	3.5m	17.5×8.8×11.5cm	52×44×41cm	18/1	23.4kg
MX-60S	50w	6000L/h	4.8m	18×8.8×12cm	52×44×41cm	18/1	27.0kg
MX-100S	110w	12000L/h	8.0m	20×10.5×13.9cm	51×44×45.5cm	6/1	18.3kg



无控制盒 Without control box　　Input:AC 110~240V 50/60Hz Output: DC 24v

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MX-10	10.5w	1100L/h	1.7m	11.6×6.5×9.3cm	44×30×35cm	18/1	13.9kg
MX-20	21w	1950L/h	2.4m	12.5×6.5×10cm	44×30×35cm	18/1	14.6kg
MX-40	30w	4000L/h	3.5m	17.5×8.8×11.5cm	50.5×32×39.5cm	18/1	22.7kg
MX-60	50w	6000L/h	4.8m	18×8.8×12cm	50.5×32×39.5cm	18/1	27.0kg

AX变频水泵
AX VARIABLE FREQUENCY PUMP





- 采用无刷伺服变频技术，状态转换灵活，稳顺，低噪。
- 采用陶瓷轴转子，适用淡/海水，水陆两用。
- 控制盒设置流量和扬程，有15/60分钟暂停喂食功能。
- The frequency conversion technology of brushless servo is adopted, state transition is flexible, stable and low noise.
- Use the ceramic impeller,suitable for freshwater and marine water, amphibious pump.
- The controller can adjust the flow and the lift,with 15/60 minutes feed pause.

消耗类配件 Consumption class parts

型号 Model / 编码 Code	转子 Impeller	配件包 Spare parts	控制盒 Controller
AX-3000	YB80028	YB80039	AX-5000s
FX-4000 AX-4000			
AX-5000s FX-5000 AX-5000			YB80040
FX-6500 AX-6500	YB80027		
FX-8000 AX-8000			AX-10000s
AX-10000s FX-10000 AX-10000			
AX-12000	YB80029	YB80042	YB80041
AX-15000			
AX-18000			



带控制盒 With control box　　110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AX-5000s	40w	5000L/h	3.5m	23×10.4×13.5cm	41×38×36cm	6/1	15.7kg
AX-10000s	85w	10000L/h	5.3m	24.6×10.4×13.5cm	41×38×36cm	6/1	18.1kg



无控制盒（交流） Without control box(AC)　　110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AX-3000	25w	3000L/h	3m	23×10.4×13.5cm	38×33×33cm	6/1	15.7kg
AX-4000	30w	4000L/h	3.2m	23×10.4×13.5cm	38×33×33cm	6/1	15.7kg
AX-5000	40w	5000L/h	3.5m	23×10.4×13.5cm	38×33×33cm	6/1	15.7kg
AX-6500	50w	6500L/h	4m	24.6×10.4×13.5cm	38×33×33cm	6/1	18.1kg
AX-8000	65w	8000L/h	4.8m	24.6×10.4×13.5cm	38×33×33cm	6/1	18.1kg
AX-10000	85w	10000L/h	5.3m	24.6×10.4×13.5cm	38×33×33cm	6/1	18.1kg
AX-12000	110w	12000L/h	5.8m	28.8×11.5×16cm	37.5×28.5×40cm	4/1	17.8kg
AX-15000	150w	15000L/h	6.2m	28.8×11.5×16cm	37.5×28.5×40cm	4/1	17.8kg
AX-18000	180w	18000L/h	6.8m	28.8×11.5×16cm	37.5×28.5×40cm	4/1	17.8kg



无控制盒（直流） Without control box(DC)　　Input:AC 110~240V 50/60Hz Output: DC 24v

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
FX-3000	25w	3000L/h	3m	23×10.4×13.5cm	38×33×33cm	6/1	16.3kg
FX-4000	30w	4000L/h	3.2m	23×10.4×13.5cm	38×33×33cm	6/1	16.3kg
FX-5000	40w	5000L/h	3.5m	23×10.4×13.5cm	38×33×33cm	6/1	16.3kg
FX-6500	50w	6500L/h	4m	24.6×10.4×13.5cm	38×33×33cm	6/1	20.5kg
FX-8000	65w	8000L/h	4.8m	24.6×10.4×13.5cm	38×33×33cm	6/1	21.7kg
FX-10000	85w	10000L/h	5.3m	24.6×10.4×13.5cm	38×33×33cm	6/1	21.7kg

NEW

DX变频水泵
DX VARIABLE FREQUENCY WATER PUMP



- 无刷伺服变频电机搭配陶瓷轴转子，节能低噪，动力强劲。
- 设有无水保护、缺水保护、过载保护，过热保护、漏电保护。
- 适用于淡/海水，水陆两用。

- It adopts the technology of frequency conversion of brushless servo, energy saving ,low noise and powerful.
- Equipped with no water protection, water shortage protection, overload protection,overheat protection and leakage protection.
- Use the ceramic impeller, suitable for freshwater and marine water, amphibious pump.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
DX-6	60w	8000L/h	4.5m	21.8x9.2x16.3cm	42×30×36cm	6/1	17.8kg
DX-8	80w	10000L/h	5.8m	21.8x9.2x16.3cm	42×30×36cm	6/1	17.8kg
DX-10	95w	12000L/h	6.5m	21.8x9.2x16.3cm	42×30×36cm	6/1	17.9kg

消耗类配件 Consumption parts

编码 Code / 型号 Model	转子 Impeller	配件包 Spare parts
DX-6	YB80027	YB80039
DX-8		
DX-10		

AT变频水泵
AT VARIABLE FREQUENCY WATER PUMP





- 适合鱼缸、池塘、园林造景，抽水之用。
- 节能电机搭配陶瓷轴转子，高效低噪。
- 适用于淡/海水，水陆两用。

- Suitable for pumping water for aquarium tank and ponds.
- Energy saving motor paired with ceramic shaft rotor, efficient and low noise.
- suitable for freshwater and marine water, amphibious pump.

消耗类配件 Consumption parts

编码 Code / 型号 Model	转子 Impeller	配件包 Spare parts
AT-2800	WP10038	YB80043
AT-3000	WP10037	YB80044
AT-4000	WP10036	
AT-5000	WP10035	
AT-6000	WP10034	YB80045
AT-8000	WP10033	
AT-10000	WP10032	

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-2800	29w	2800L/h	2.3m	18.5×9×12cm	46×38×28cm	12/1	16.7kg
AT-3000	31w	3000L/h	2.8m	22.7×11×13.7cm	38×30.5×34cm	6/1	13.8kg
AT-4000	42w	4000L/h	2.8m	22.7×11×13.7cm	38×30.5×34cm	6/1	13.8kg
AT-5000	48w	5000L/h	3m	22.7×11×13.7cm	38×30.5×34cm	6/1	13.4kg
AT-6000	45w	6000L/h	3m	26.3×12×15.3cm	42.5×32.5×38cm	6/1	18.0kg
AT-8000	65w	8000L/h	3.6m	26.3×12×15.3cm	42.5×32.5×38cm	6/1	18.0kg
AT-10000	90w	10000L/h	4m	26.3×12×15.3cm	42.5×32.5×38cm	6/1	18.4kg

MP水泵
MP WATER PUMP



- 适合大鱼缸、池塘、园林造景，抽水之用。
- 节能电机搭配陶瓷轴转子，动力强劲，大流量。
- 适用于淡/海水，水陆两用。

- Suitable for pumping water for aquarium tank and ponds.
- Energy saving motor with the ceramic impeller, powerful, large flow.
- Use the ceramic impeller, suitable for freshwater and marine water, amphibious pump.



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MP-5500	60w	5700L/h	3m	45.5×41×35cm	6/1	18.8kg
MP-6500	85w	6500L/h	4m	45.5×41×35cm	6/1	19.0kg
MP-7500	125w	7500L/h	5m	45.5×41×35cm	6/1	19.2kg
MP-8500	155w	8500L/h	6m	45.5×41×35cm	6/1	19.4kg
MP-9500	170w	9300L/h	6.5m	45.5×41×35cm	6/1	21.0kg
MP-10000	145w	10000L/h	4.5m	45.5×41×35cm	6/1	21.0kg
MP-12000	110w	10500L/h	4m	39×35×40cm	4/1	20.0kg
MP-15000	200w	12500L/h	4.5m	39×35×40cm	4/1	21.3kg
MP-18000	250w	14500L/h	5m	39×35×40cm	4/1	22.0kg
MP-20000	320w	16500L/h	7m	39×35×40cm	4/1	20.4kg

消耗类配件 Consumption parts

编码 Code / 型号 Model	转子 Impeller	配件包 Spare parts
MP-5500	YB8008	YB8031
MP-6500	YB8007	
MP-7500	YB8005	
MP-8500	YB8004	
MP-9500	YB8002	
MP-10000	YB8030	YB8016
MP-12000	YB8014	
MP-15000	YB8013	
MP-18000	YB8012	
MP-20000	YB8010	

PH潜水泵
PH WATER PUMP




- 适用鱼缸、水池、园林造景，抽水进气。
- 采用节能电机，搭配耐磨转子，强劲、低噪。
- 水陆两用，淡/海水适用。

- Suitable for fish tanks and water pools used to pump water and air intake.
- Adopt energy-saving motor and wear-resisting impeller stronger and low noise.
- Suitable for freshwater and marine water, amphibious pump.


PH-300s
PH-400s
PH-500s


PH-1100s
PH-2000s
PH-2500s
PH-3000s


PH-3500s
PH-4000s



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q.max	扬程 H.max	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
PH-300s	5w	360L/h	0.8m	45.8×25.2×45.3cm	60/1	16.2kg
PH-400s	6w	600L/h	0.85m	34.8×33.9×34.9cm	36/1	12.5kg
PH-500s	8w	730L/h	0.98m	34.8×33.9×34.9cm	36/1	15.0kg
PH-1100s	15w	1100L/h	1.4m	38.5×35.6×44.4cm	24/1	19.1kg
PH-2000s	31w	2200L/h	2.2m	43.8×36×54.2cm	24/1	29.3kg
PH-2500s	45w	2500L/h	2.25m	41.8×30.2×44.4cm	12/1	20.6kg
PH-3000s	45w	2880L/h	2.6m	41.7×30.2×44.3cm	12/1	20.8kg
PH-3500s	61w	3500L/h	2.9m	43.5×23.2×30.8cm	6/1	14.9kg
PH-4000s	80w	4300L/h	3.4m	43.5×23×30.7cm	6/1	14.8kg

消耗类配件 Consumption class parts

编码 Code / 型号 Model	转子 Impeller	配件包 Spare parts
PH-300s	WP10083	WP10084
PH-400s	WP10045	WP10085
PH-500s	WP10043	
PH-1100s	WP10012	WP10010
PH-2000s	WP10009	
PH-2500s	WP10086	WP10087
PH-3000s	WP10007	
PH-3500s	WP10006	WP10088
PH-4000s	WP10004	

AT-100s潜水泵
AT-100s WATER PUMP





- 适用鱼缸、水池、园林造景，抽水进气。
- 节能电机搭配耐磨转子，强劲低噪。
- 105s/6s/7s水陆两用，淡/海水适用。
- Suitable for fish tanks and water pools used to pump water and air intake.
- Adopt energy-saving motor and wear-resisting impeller stronger and low noise.
- AT-105S/106S/107S are amphibious, can be used in freshwater or marine water.


AT-101s AT-102s AT-103s AT-104s AT-105s AT-106s AT-107s

110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q.max	扬程 H.max	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-101s	4w	350L/h	0.6m	√	40.3×34.8×42.3cm	60/1	18.2kg
AT-102s	6w	500L/h	1.05m	√	43.5×28×46.7cm	48/1	19.8kg
AT-103s	11w	1300L/h	1.2m	√	32.1×31×37.9cm	24/1	16.3kg
AT-104s	28w	2000L/h	2m	√	36.5×33×43.9cm	24/1	21.8kg
AT-105s	37w	3000L/h	3m	×	37.3×34.5×32.6cm	12/1	16.6kg
AT-106s	72w	4000L/h	4m	×	45.1×36.5×33.8cm	12/1	25.7kg
AT-107s	85w	5000L/h	5m	×	38×24.3×35.6cm	6/1	16.8kg

消耗类配件 Consumption parts

编码 Code / 型号 Model	转子 Impeller	配件包 Spare parts
AT-101s	WP10066	WP10065
AT-102s	WP10064	
AT-103s	WP10062	WP10063
AT-104s	WP10060	WP10061
AT-105s	WP10058	WP10059
AT-106s	WP10056	WP10057
AT-107s	WP10054	WP10055

AT-200潜水泵
AT-200 WATER PUMP





- 适用鱼缸、水池，抽水进气。
- 采用节能电机，搭配耐磨转子，强劲、低噪。
- 水中使用，淡/海水适用。
- Suitable for fish tanks, water pool, water pumping and increase oxygen.
- Adopt energy-saving motor and wear-resisting impeller, stronger and low noise.
- Amphibious pump, used in freshwater or marine water.


AT-201 AT-202 AT-203

110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q.max	扬程 H.max	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-201	9w	650L/h	0.9m	×	38.9×34.2×50.3cm	48/1	21.1kg
AT-202	10w	1200L/h	1.3m	√	37.4×30.3×42.3cm	24/1	14.8kg
AT-203	32w	2000L/h	2m	√	39.2×33.9×45.5cm	24/1	23.8kg

消耗类配件 Consumption parts

编码 Code / 型号 Model	转子 Impeller	配件包 Spare parts
AT-201	WP10051	WP10052
AT-202	WP10049	WP10050
AT-203	WP10047	WP10048

AT-300s潜水泵
AT-300s WATER PUMP





- 适用鱼缸、水池，抽水进气。
- 节能电机搭配耐磨转子，强劲低噪。
- 水中使用，淡/海水适用。
- Suitable for fish tanks,water pool, water pumping and increase oxygen.
- Adopt energy-saving motor and wear-resisting impeller, stronger and low noise.
- Used in fresh water and marine water.


AT-300s AT-301s AT-318s AT-302s AT-303s/304s AT-305s/306s

110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q.max	扬程 H.max	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-300s	2w	150L/h	0.4m	√	31.5×23.8×43cm	60/1	8.4kg
AT-301s	2.5w	230L/h	0.5m	√	40.3×34.8×42.3cm	60/1	11.6kg
AT-318s	6w	280L/h	0.5m	√	43.5×28×46.7cm	60/1	11.9kg
AT-302s	5w	450L/h	0.7m	√	32.1×31×37.9cm	60/1	17.7kg
AT-303s	6w	600L/h	0.9m	×	36.5×33×43.9cm	48/1	17.3kg
AT-304s	8w	800L/h	1.1m	×	37.3×34.5×32.6cm	48/1	20.2kg
AT-305s	13w	1200L/h	1.3m	×	45.1×36.5×33.8cm	24/1	16.5kg
AT-306s	27w	2000L/h	2m	×	38×24.3×35.6cm	24/1	25.6kg

消耗类配件 Consumption parts

编码 Code / 型号 Model	转子 Impeller	配件包 Spare parts
AT-300s	WP10089	WP10090
AT-301s	WP10092	
AT-302s	WP10019	WP10046
AT-303s	WP10045	WP10044
AT-304s	WP10043	
AT-305s	WP10041	WP10042
AT-306s	WP10039	WP10040

AT-400潜水泵
AT-400 WATER PUMP





- 适用鱼缸、水池，抽水进气。
- 节能电机搭配耐磨转子，强劲低噪。
- 水陆两用，淡/海水适用。
- Suitable for fish tanks, water pool, water pumping and increase oxygen.
- Adopt energy-saving motor and wear-resisting impeller, stronger and low noise.
- Amphibious pump, used in freshwater or marine water.


AT–401 AT–402 AT–403

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	流量 Q.max	扬程 H.max	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-401	7w	380L/h	0.95m	√	35.5×34×28.7cm	24/1	10.1kg
AT-402	7.5w	400L/h	1.05m	√	28×27×31.8cm	24/1	10.1kg
AT-403	13.5w	750L/h	1.6m	√	29.5×28×36.3cm	24/1	24.8kg

DC水泵
DC WATER PUMP



- 采用USB电源，适用于小型鱼缸。
- 微型电机节能静音，淡/海水适用。
- USB power supply, suitable for small fish tank.
- Micro motor energy-saving mute, applicable to fresh/marine water.

Input:AC 110~240V 50/60Hz Output: DC 5v, DC 12v

型号 Model	功率 Power	流量 Q.max	扬程 H.max	产品尺寸 Product size
AT-300U(DC5V)	1.7w	250L/h	1.1m	3.2x3.9x4.2cm
AT-300U(DC12V)	3.8w	350L/h	2.3m	3.2x3.9x4.2cm

NEW

UP气泵
UP AIR PUMP



- 工业风设计，硬朗外观极具个性。
- 适用于鱼缸、鱼池等，室内打气。
- 优质气拍，气房更大，气量更足。
- 密封设计，隔音低噪。


- Industrial style design, with a rugged and distinctive appearance.
- Suitable for fish tanks, fish ponds, indoor inflation.
- Adopt high quality air racket , larger air chamber, and more sufficient air volume.
- Sealed design, sound insulation and low noise.



UP-100 UP-200 UP-300 UP-400 UP-400R UP-500R

110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
UP-100	1.8w	1.2L/min	0.018Mpa	1	×	36.2x35x36cm	72/1	17.5kg
UP-200	2.2w	1.6L/min	0.02Mpa	1	×	41.5x34x40cm	60/1	19.5kg
UP-300	2.8w	2.0x2L/min	0.02x2Mpa	2	×	44x32.5x34.4cm	36/1	15kg
UP-400	4.3w	3.0x2L/min	0.022x2Mpa	2	×	44x32.5x34.4cm	36/1	19kg
UP-400R	4.0w	3.5x2L/min	0.022x2Mpa	2	✓	37.5x34x38cm	24/1	15kg
UP-500R	5.3w	4.0x2L/min	0.024x2Mpa	2	✓	37.5x34x38cm	24/1	18kg



NEW

CP双层静音气泵
CP SILENT AIR PUMP





- 适用鱼缸、鱼池、海鲜店等，室内造气。
- 采用纳米橡胶气拍，气量经久不易衰减。
- 加厚外壳双层隔音，卧室级静音体验。
- 纯铜悬浮电机，高效造气，气量强劲。


- Suitable for fish tanks, ponds, seafood restaurants, indoor air production.
- Using nano rubber air pump, it is durable and the air volume is not easily attenuated.
- Thick shell, double-layer sound insulation, bedroom level noise reduction.
- Pure copper suspension motor, efficient air production, strong air volume.



CP-100 CP-300R CP-400R CP-500R

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN
CP-100	2W	2L/min	0.02Mpa	1	×	45.2x38x32cm	24/1
CP-300R	3W	2.5x2L/min	0.02x2Mpa	2	✓	50x41x36.5cm	24/1
CP-400R	4W	3.5x2L/min	0.022x2Mpa	2	✓	46x44x36.5cm	18/1
CP-500R	5W	5.0x2L/min	0.024x2Mpa	2	✓	46x44x36.5cm	18/1



BP双倍静气泵
BP SILENT AIR PUMP



- 适用于鱼缸、鱼池等室内打气。
- 双层外壳隔音，低噪音，气量可调。
- 造气水深最大可达2.5米。

- Suitable for indoor use, such as fish tanks and ponds.
- Double layer sound insulation, low noise, adjustable air volume.
- Pumps air down up to 2.5M maximum.




BP-400 BP-500 BP-600 BP-800



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	噪音 Noise	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
BP-400	3.5w	2.6L/min	0.018Mpa	2	✓	<36dB	44×39.5×34cm	24/1	19.7kg
BP-500	4.6w	4.0L/min	0.020Mpa	2	✓	<38dB	46×39.5×26cm	18/1	17.9kg
BP-600	5w	4.6L/min	0.025Mpa	2	✓	<40dB	44×24×38cm	12/1	14.0kg
BP-800	8.5w	3.5L/min	0.022Mpa	4	✓	<39dB	39×24.5×42cm	8/1	13.9kg



AD直流充电气泵
AD DC CHARGING AIR PUMP






- 采用优质锂电，直流充电。
- 双层外壳隔音，低噪音，气量可调。
- 四档气量调节，可选连续或间断模式。
- 满电连续工作40小时，间断工作70小时。

- Using high quality lithium battery, DC charging.
- Double layer sound insulation, low noise, adjustable air volume.
- With four levels of air flow,continuous mode or intermittent mode are optional.
- Fully charged can work continuously for 40 hours and intermittently for 70 hours.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	噪音 Noise	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AD-100	3.5w	4.0L/min	0.024Mpa	2	✓	<36dB	47×26×31cm	12/1	14.4kg



AD水族充电气泵
AD CHARGING AIR PUMP






- 适用小鱼缸，钓鱼，水产运输等室内打气。
- 充电气泵，断电自动切换锂电工作，实现无缝供氧。
- 拥有连续和间断两种工作模式，续航时间长。
- 优质气拍搭配高效电机，加厚外壳，大气静音。

- Suitable for indoor aeration in small fish tanks, fishing, and aquatic transportation.
- Charging air pump, automatically switches to lithium battery operation when power is off, achieving seamless inflation.
- It has two working modes: continuous and intermittent, with a long battery life.
- High quality air racket paired with efficient motor, large air volume, low noise.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AD-20	1w	1.0L/min	0.020Mpa	1	×	47×40×34cm	60/1	18.8kg
AD-30	1.5w	2.0L/min	0.020Mpa	2	×	50×42×29cm	45/1	18.8kg



KP气泵
KP AIR PUMP



- 适用于水族鱼缸、鱼池等增氧之用。
- 采用优质气拍，气量强劲，可调节。
- 密封设计，隔音低噪。

- Suitable for fish tank and fish pond.
- Adopt high quality air racket , adjustable powerful air flow.
- Seal and ultra quiet design.


KP-200


KP-400



KP-500


KP-600




110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
KP-200	2.0w	1.6L/min	0.014Mpa	1	×	40×29×32cm	40/1	13.0kg
KP-400	3.8w	2.6L/min	0.016Mpa	2	✓	44×37×35cm	24/1	19.2kg
KP-500	4.5w	3.6L/min	0.022Mpa	2	✓	44×37×35cm	24/1	19.2kg
KP-600	5.0w	4.2L/min	0.030Mpa	2	✓	44×37×35cm	24/1	19.2kg



DP气泵(气立方)
DP AIR PUMP（ATR CUBE）






- 适用于大鱼缸、池塘、水族店打气。
- 防水结构，室内/外通用。
- 双层外壳隔音，静音。
- 气量强劲，深水造气。

- Suitable for fish tank , fish pond and aquarium shop.
- Waterproof, suitable for indoor and outdoor.
- Double shell ultra quiet design.
- Powerful air flow, pumps air to deep water.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
DP-10	8w	7.5L/min	0.018Mpa	4	×	30.5×26.6×33.4cm	4/1	20.6kg
DP-20	15w	25L/min	0.020Mpa	6	×	38.5×32×21.7cm	2/1	26.5kg
DP-30	20w	35L/min	0.028Mpa	10	×	40.3×33×22.3cm	2/1	20.9kg
DP-40	30w	55L/min	0.030Mpa	20	×	40.3×33×22.3cm	2/1	19.5kg



HP气泵
HP AIR PUMP






- 适用于大鱼缸、池塘、水族店打气。
- 防水结构，室内/外通用。
- 加厚外壳隔音，低噪。
- 气量强劲，深水造气。

- It is suitable for big fish tank, pond and aquarium shop.
- Waterproof, suitable for indoor and outdoor.
- With thick shell, sound insulation, low noise.
- Powerful air flow, pumps air to deep water.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
HP-4000	16w	30L/min	0.022Mpa	4	×	30.5×26.6×33.4cm	4/1	11.5kg
HP-8000	42w	75L/min	0.032Mpa	6	×	38.5×32×21.7cm	2/1	10.1kg
HP-12000	53w	100L/min	0.036Mpa	10	×	40.3×33×22.3cm	2/1	14.1kg
HP-16000	90w	140L/min	0.054Mpa	10	×	40.3×33×22.3cm	2/1	14.1kg




XP气泵
XP AIR PUMP



- 适用于鱼缸、鱼池打气。
- 采用优质气拍，气量强劲，可调节。
- 密封设计，隔音低噪。


- Suitable for fish tank and fish pond.
- Adopt high quality air racket , adjustable powerful air flow.
- Seal and ultra quiet design.



XP-50 XP-100 XP-200 XP-300 XP-400

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
XP-50	1.8w	1.5L/min	0.012Mpa	1	×	38×28×30cm	48/1	10.5kg
XP-100	2.0w	3.0L/min	0.020Mpa	1	×	42×32×38cm	40/1	12.0kg
XP-200	3.5w	2.6L/min	0.020Mpa	2	×	42×39×33.5cm	24/1	14.7kg
XP-300	4.5w	3.5L/min	0.022Mpa	2	✓	42×39×33.5cm	24/1	18.3kg
XP-400	9.0w	3.5L/min	0.022Mpa	4	✓	46×32×35cm	12/1	16.3kg



CR气泵
CR AIR PUMP



- 适用于鱼缸、鱼池打气。
- 采用优质气拍，气量强劲，可调节。
- 密封设计，隔音低噪。


- Suitable for fish tank and fish pond.
- Adopt high quality air racket, adjustable powerful air flow.
- Seal and ultra quiet design.



CR-10 CR-20 CR-30 CR-40 CR-20R CR-30R CR-40R

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CR-10	2.0w	1.2L/min	0.020Mpa	1	×	42.1×23.8×42.6cm	60/1	15kg
CR-20	3.5w	1.5L/min	0.020Mpa	1	×	38.5×31.3×47.3cm	60/1	20.4kg
CR-20R	3.5w	1.5L/min	0.020Mpa	1	✓	33.5×19.3×38.3cm	24/1	8.8kg
CR-30	3.5w	1.5L/min	0.020Mpa	2	×	31.3×19.5×38.2cm	24/1	8.8kg
CR-30R	3.5w	1.5L/min	0.020Mpa	2	✓	33.4×19.3×38.3cm	24/1	9.4kg
CR-40	4.0w	2.0L/min	0.022Mpa	2	×	35.5×22×40cm	24/1	11.4kg
CR-40R	4.0w	2.0L/min	0.022Mpa	2	✓	35.4×21.6×40cm	24/1	12.1kg



AP气泵
AP AIR PUMP



- 适用于鱼缸、鱼池打气。
- 采用优质气拍，气量强劲，可调节。
- 密封设计，隔音低噪。


- Suitable for fish tank and fish pond.
- Adopt high quality air racket, adjustable powerful air flow.
- Seal and ultra quiet design.



AP-12C AP-15C AP-25C AP-35C AP-45C AP-25R AP-35R AP-45R

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AP-12C	1.5w	1.0L/min	0.018Mpa	1	×	47×23.5×41.5cm	60/1	12.6kg
AP-15C	2.5w	1.5L/min	0.020Mpa	1	×	37.5×27.5×38.8cm	48/1	14.6kg
AP-25C	3.5w	2.5L/min	0.020Mpa	1	×	37.5×27.5×38.8cm	48/1	14.6kg
AP-35C	3.5w	2.5L/min	0.020Mpa	2	×	46×29.5×27.8cm	32/1	11.5kg
AP-45C	4.0w	3.0L/min	0.020Mpa	2	×	46×31.5×28cm	32/1	15.9kg
AP-25R	3.5w	2.5L/min	0.020Mpa	1	✓	37.8×27.5×41.8cm	48/1	14.6kg
AP-35R	3.5w	2.5L/min	0.020Mpa	2	✓	46×29.5×27.8cm	32/1	11.1kg
AP-45R	4.0w	3.0L/min	0.020Mpa	2	✓	46×31.5×28cm	32/1	15.9kg



AT-A气泵
AT-A AIR PUMP



- 适用于鱼缸、鱼池打气。
- 采用优质气拍，气量强劲，可调节。
- 密封设计，隔音低噪。


- Suitable for fish tank and fish pond.
- Adopt high quality air racket, adjustable powerful air flow.
- Seal and ultra quiet design.



AT-A1500 AT-A2500 AT-A3500 AT-A6500 AT-A7500 AT-A8500 AT-A9500

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-A1500	2.5w	2.0L/min	0.020Mpa	1	×	37.7×31.6×33.7cm	60/1	12.8kg
AT-A2500	3.0w	2.0L/min	0.020Mpa	1	×	37×31.4×41.4cm	60/1	16.4kg
AT-A3500	3.0w	2.0L/min	0.020Mpa	1	×	37×31.4×41.4cm	60/1	16.6kg
AT-A6500	4.0w	3.0L/min	0.020Mpa	2	×	37.2×31.4×32.2cm	24/1	12.2kg
AT-A7500	4.0w	3.0L/min	0.020Mpa	2	✓	39.4×31.4×32cm	24/1	12.6kg
AT-A8500	5.0w	4.5L/min	0.022Mpa	2	×	39.4×33×32.3cm	24/1	16.4kg
AT-A9500	5.0w	4.5L/min	0.022Mpa	2	✓	41.5×32.6×32.3cm	24/1	16.6kg



PP气泵
PP AIR PUMP




- 适用于鱼缸、鱼池打气。
- 采用优质气拍，气量强劲。
- 密封设计，隔音低噪。
- Suitable for fish tank and fish pond.
- Adopt high quality air racket, powerful air flow.
- Seal and ultra quiet design.



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
PP-100	2.8w	1.8L/min	0.018Mpa	1	×	44×31.6×44cm	48/1	15.4kg
PP-200	3.5w	2.5L/min	0.020Mpa	1	×	47×34×36.5cm	36/1	14.1kg
PP-300	3.5w	2.5L/min	0.020Mpa	2	×	47×34×36.5cm	36/1	14.9kg
PP-400	4.5w	3.0L/min	0.020Mpa	2	×	47×38.8×39.5cm	30/1	17.1kg



AT&EP气泵
AT&EP AIR PUMP




- 适用于鱼缸、鱼池打气。
- 采用优质气拍，金属气咀，气量强劲，可调。
- 密封设计，隔音低噪。
- Suitable for fish tank and fish pond.
- Adopt high quality air racket, metal outlets, adjustable powerful air flow.
- Seal and ultra quiet design.



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-701 EP-2500	2.5w	2.5L/min	0.020Mpa	1	✓	42.8×30.3×41.6cm	60/1	20.6kg
AT-702 EP-6500	3.5w	3.0L/min	0.020Mpa	2	✓	48.1×27.7×46.8cm	48/1	26.5kg
AT-703 EP-8500	5.6w	4.0L/min	0.020Mpa	2	✓	37.5×36×38.3cm	24/1	20.9kg
AT-704 EP-9000	5.6w	4.5L/min	0.020Mpa	2	✓	37.4×35.8×38.1cm	24/1	19.5kg




山本气泵
SHANBEN AIR PUMP



- 适用于鱼缸、鱼池打气。
- 采用优质气拍，金属气咀，气量强劲，可调。
- 密封设计，隔音低噪。
- Suitable for fish tank and fish pond.
- Adopt high quality air racket, metal outlets, adjustable powerful air flow.
- Seal and ultra quiet design.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
6500	3.5w	3.0L/min	0.018Mpa	2	✓	41.5×36.5×31.5cm	32/1	19.7kg
8000	4.5w	4.0L/min	0.020Mpa	2	✓	36×31×31.5cm	24/1	18.4kg




AR气泵
AR AIR PUMP



- 适用于鱼缸、鱼池打气。
- 采用优质气拍，金属气咀，气量强劲，可调。
- 密封设计，隔音低噪。
- Suitable for fish tank and fish pond.
- Adopt high quality air racket, metal outlets, adjustable powerful air flow.
- Seal and ultra quiet design.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AR-2500	2.5w	3.0L/min	0.020Mpa	1	✓	43.5×23.3×39cm	60/1	18.7kg
AR-7500	3.7w	3.0L/min	0.020Mpa	2	✓	34.5×21.6×38.8cm	24/1	13.2kg
AR-8500	5.5w	4.0L/min	0.025Mpa	2	✓	37.4×22×40.3cm	24/1	18.1kg




CX气泵
CX AIR PUMP



- 适用于鱼缸、鱼池打气。
- 采用优质气拍，金属气咀，气量强劲，可调。
- 密封设计，隔音低噪。
- Suitable for fish tank and fish pond.
- Adopt high quality air racket, metal outlets, adjustable powerful air flow.
- Seal and ultra quiet design.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CX-0078	2.5w	3.0L/min	0.020Mpa	1	×	47×31.5×34.5cm	60/1	18.8kg
CX-0088	3.5w	3.0L/min	0.020Mpa	2	✓	40×35×36cm	32/1	18.9kg
CX-0098	5.3w	4.5L/min	0.022Mpa	2	✓	41.5×33.5×36cm	24/1	18.6kg




干电池气泵
BATTERY AIR PUMP



- 适用于钓鱼，水产运输时打气。
- 采用优质气拍，单气咀，气量大。
- 用两颗1号大电池供电，低压安全。
- Suitable for pumping during fishing or aquatic transportation.
- Adopt high quality air racket, durable, one outlet, powerful air flow.
- Powered by two D model batteries, low voltage safety.



型号 Model	气流量 Flow Rate	气压 Pressure	气嘴 Outlet	可调 Adjustable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
ATOM-2	1.0L/min	0.012Mpa	1	×	41.2×29.3×32.6cm	60/1	10.8kg
DC-128	1.0L/min	0.012Mpa	1	×	46.6×26.7×36cm	60/1	13.8kg
DC-250	1.0L/min	0.012Mpa	1	×	44.5×33.2×31.5cm	60/1	11.8kg



NEW

THK电子控温石英加热棒
ELECTRONIC CONTROL QUARTZ HEATER

- 外置控制器调温，每档±1°C，范围20~34°C，运用PID算法技术，温度稳定精准。
- 加热棒上设有数显屏幕，日常显示温度；当故障时显示故障代码。
- 故障自检：当加热棒显示故障代码时，发出"哔"提示音，解除故障后恢复正常。
- 超温保护：采用双继电器，降低超温风险；双感温探头，水温超过35°C时自动停工。
- 离水保护：内置NTC智能芯片，无水自动断电。
- 采用耐高温石英管，防爆且传热快；绝缘灌胶工艺，隔绝水汽防漏电。
- 工作水位低至4.3cm，通用性强，龟缸可用，淡 / 海水适用。

- External controller temperature control, with a range of 20~34°C and ± 1°C per level, using PID algorithm technology for stable and accurate temperature.
- The heater is equipped with a digital display screen, which usually displays the temperature; Display fault codes when there is a malfunction.
- Fault self-check: When the heating rod displays a fault code, the control box emits a "beep" alert. Normal operation resumes after the fault is resolved.
- Overtemperature protection: using dual relays to reduce the risk of overheating; Dual temperature sensing probe, automatically shuts down when the water temperature exceeds 35°C.
- Water-off Protection: Equipped with a built-in NTC smart chip that automatically cuts off power in the absence of water.
- Adopting high-temperature resistant quartz tube, explosion-proof and fast heat transfer;Insulation glue filling process,Isolate water vapor and prevent electrical leakage.
- The working water level is as low as 4.3cm, with strong versatility, suitable for turtle tanks, and suitable for freshwater/seawater.




精准控温
Precise Temperature Control



智能数显
Digital display screen




故障自检
Fault Self-Check


超温停工
Overtemperature shutdown


离水断电
Off water power outage



低水位工作
Low water level operation



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
THK-100W	100W	40-80L	42x30x44.5cm	12/1	9.5kg
THK-200W	200W	80-160L	42x30x44.5cm	12/1	9.7kg
THK-300W	300W	120-240L	42x30x44.5cm	12/1	9.9kg
THK-400W	400W	160-320L	42x30x44.5cm	12/1	10kg
THK-600W	600W	240-480L	42x37.2x44.5cm	12/1	12.2kg
THK-800W	800W	320-640L	42x37.2x44.5cm	12/1	12.9kg
THK-1000W	1000W	400-800L	42x37.2x44.5cm	12/1	13kg

NEW

THR智控纯钛加热棒
INTELLIGENT CONTROL TITANIUM HEATER

- 外置控制器调温，每档±0.5°C，范围20~34°C，运用PID算法技术，温度稳定精准。
- 控制盒上设有数显屏幕，日常显示温度；当故障时显示故障代码。
- 采用纯钛管身，快速传热，防锈、防腐、防爆，淡 / 海水适用。
- 双故障自检：数显故障代码并闪烁提示，故障解除后可恢复正常。
- 超温保护：采用双继电器，控温更稳定；感温探头，水温超35°C时自动停工。
- 智能恒温：达到目标温度后，自动降耗恒温。
- 断电记忆：通电后自动记忆上次设定温度。

- External controller temperature control, with a range of 20~34°C and ± 0.5°C per level, using PID algorithm technology for stable and accurate temperature.
- The control box is equipped with a digital display screen, which usually displays the temperature; Display fault codes when there is a malfunction.
- Using pure titanium tube body, fast heat transfer, rust proof, anti-corrosion, explosion-proof, suitable for fresh/seawater.
- Double fault self check: Display fault codes and flash prompts, and restore normal operation after the fault is resolved.
- Overtemperature protection: Adopting dual relays for more stable temperature control, reducing the risk of overheating, and automatically shutting down when the water temperature exceeds 35 °C.
- Intelligent constant temperature: After reaching the target temperature, it automatically reduces consumption and maintains a constant temperature.
- Power off memory: automatically remembers the last set temperature after power on.





精准控温
Precise temperature control




智能数显
Digital display screen




双续电器
Double relay


感温探头
Temperature detection


纯钛管身
Titanium tube body

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN
THR-100W	100W	40-80L	45.3x39x34.5cm	24/1
THR-200W	200W	80-160L	45.3x39x34.5cm	24/1
THR-300W	300W	120-240L	45.3x39x34.5cm	24/1
THR-400W	400W	160-320L	45.3x39x34.5cm	24/1
THR-500W	600W	240-480L	46.8x42x34.5cm	24/1
THR-800W	800W	320-640L	53x31.5x34.5cm	16/1




NEW WG恒温加热棒
WG CONSTANT TEMPERATURE HEATER

有数显版和无数显版可选。
Digital display version and countless display versions can be selected.




鱼缸安装
Installation of fish tank



- 本品为恒温加热棒，定温26℃，淡/海水通用。
- 外形小巧，低水位加热，适用小型鱼/龟缸。
- 采用耐高温塑料，防爆、传热快、温度精准。
- 带温控保护，离水保护，使用安全。

- 26℃ constant temperature heater ,suitable for fresh water and salt water.
- Compact shape,low water level heating,suitable for small fish/turtle tank.
- High temperature resistant plastic, explosion-proof fast heat transfer and accurate temperature.
- With temperature control protection and water leaving protection.

龟缸安装
Installation of tortoise tank




110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN
WG-25W	25W	10L	47x32x34cm	36/1
WG-50W	50W	25L	47x32x34cm	36/1
WG-75W	75W	37L	47x32x34cm	36/1
WG-100W	100W	50L	47x32x34cm	36/1
WG-150W	150W	75L	47x41x38cm	36/1
WG-200W	200W	100L	47x41x38cm	36/1
WG-250W	250W	120L	47x41x38cm	36/1



NEW MINI迷你恒温加热棒
MINI CONSTANT TEMPERATURE HEATER


鱼缸安装
Installation of fish tank



- 本品为一款恒温加热棒，定温26℃，淡/海水通用。
- 外形小巧，低水位加热，适用小型鱼/龟缸。
- 采用耐高温塑料，防爆、传热快、温度精准。
- 带温控保护，使用安全。

- 26℃ constant temperature heater ,suitable for fresh water and salt water.
- Compact shape,low water level heating,suitable for small fish/turtle tank.
- High temperature resistant plastic, explosion-proof fast heat transfer and accurate temperature.
- With temperature control protection.

龟缸安装
Installation of tortoise tank




110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MINI-10W	10W	6L	50x29x25cm	36/1	8.68kg
MINI-25W	25W	10L	50x29x25cm	36/1	8.68kg
MINI-50W	50W	25L	50x29x25cm	36/1	8.6kg

NEW TH石英加热棒
TH QUARTZ HEATER

- 采用耐高温石英管，耐热防爆，密封防水。
- 高灵敏控温器，有效避免缺水干烧发生。
- 加热迅速，热转化率高，温度准确。
- 顶部环形旋钮调温，调温直观，范围20~34°C。

- Using high-temperature resistant quartz tubes,heat-resistant and explosion-proof, sealed and waterproof.
- Equipped with a temperature controller to prevent dry burning.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Top circular knob for temperature adjustment, with a range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
TH-50W	50W	25L	50×32×30cm	36/1	10kg
TH-100W	100W	50L	50×32×37cm	36/1	11.9kg
TH-200W	200W	100L	50×32×48cm	36/1	14.9kg
TH-300W	300W	150L	50×32×48cm	36/1	14.9kg



NEW THE数显石英加热棒
THE DIGITAL DISPLAY QUARTZ HEATER

- TH加热棒升级版，数显温度，旋钮调温，范围20~34°c。
- 采用电子感温，离水保护更灵敏。
- 采用耐高温石英管，耐热防爆，密封防水。
- 加热迅速，热转化率高，温度准确。

- TH heating rod upgraded version, digital display, knob temperature control, range of 20~34°C.
- Adopting electronic temperature sensing, the water protection is more sensitive.
- Adopting high-temperature resistant quartz tube, heat-resistant and explosion-proof, sealed and waterproof.
- Fast heating, high thermal conversion rate, and accurate temperature.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
THE-100W	100W	50L	50×29×40cm	36/1	12.6kg
THE-200W	200W	100L	50×29×45cm	36/1	13.4kg
THE-300W	300W	150L	50×29×50cm	36/1	15.3kg



JG玻璃加热棒
JG GLASS HEATER

- 管身采用耐高温玻璃，密封防水。
- 加热迅速，热转化率高，温度准确。
- 顶部旋钮调温，范围20-34℃。

- The tube body adopts high temperature resistant glass, sealed and waterproof.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Top temperature adjustment knob, range 20-34°C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
JG-50W	50W	25L	42.5×34×33cm	36/1	9.63kg
JG-100W	100W	50L	42.5×34×36cm	36/1	10.12kg
JG-200W	200W	100L	42.5×34×40cm	36/1	11.11kg
JG-300W	300W	150L	42.5×34×44cm	36/1	12.12kg



HCH石英加热棒
HCH QUARTZ HEATER

- 采用耐高温石英管，干烧防爆，更安全。
- 高灵敏控温器，有效避免缺水干烧发生。
- 加热迅速，热转化率高，温度准确。
- 顶部环形旋钮调温，范围20~34°C。

- Using quartz tubes, dry burning explosion-proof, safer to use.
- Equipped with a temperature controller to prevent dry burning.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Top circular knob for temperature adjustment, with a range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
HCH-50W	50W	25L	50×29×31cm	36/1	9.45kg
HCH-100W	100W	50L	50×29×32cm	36/1	10.97kg
HCH-200W	200W	100L	50×29×36cm	36/1	12.46kg
HCH-300W	300W	150L	50x29×41cm	36/1	13.94kg



AH石英加热棒
AH QUARTZ HEATER

- 采用耐高温石英管，干烧防爆，更安全。
- 加热迅速，热转化率高，温度准确。
- 顶部环形旋钮调温，范围20~34°C。

- Using quartz tubes, dry burning explosion-proof, safer to use.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Top circular knob for temperature adjustment, with a range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AH-50W	50W	25L	50×29×31cm	36/1	9.45kg
AH-100W	100W	50L	50×29×32cm	36/1	10.97kg
AH-200W	200W	100L	50×29×36cm	36/1	12.46kg
AH-300W	300W	150L	50x29×41cm	36/1	13.94kg



BH石英加热棒
BH QUARTZ HEATER

- 采用耐高温石英管，干烧防爆，更安全。
- 加热迅速，热转化率高，温度准确。
- 旋钮调温，范围20~34°C。

- Using quartz tubes, dry burning explosion-proof, safer to use.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Knob temperature adjustment, range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
BH-50W	50W	25L	50×29×27.5cm	36/1	9.37kg
BH-100W	100W	50L	50×29×29cm	36/1	10.98kg
BH-200W	200W	100L	50×29×33.3cm	36/1	13.87kg
BH-300W	300W	150L	50×29×38.2cm	36/1	14.15kg



CH玻璃加热棒
CH GLASS HEATER

- 采用耐高温玻璃管，密封、防爆。
- 加热迅速，热转化率高，温度准确。
- 旋钮调温，范围20~34°C。

- Using high-temperature resistant glass tubes, waterproof and explosion-proof.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Knob temperature adjustment, range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CH-50W	50W	25L	50×29×29cm	36/1	9.45kg
CH-100W	100W	50L	50×29×34cm	36/1	10.83kg
CH-200W	200W	100L	50×29×39cm	36/1	11.43kg
CH-300W	300W	150L	50×29×44cm	36/1	12.68kg



DH玻璃加热棒
DH GLASS HEATER

- 采用耐高温玻璃管，密封、防爆。
- 加热迅速，热转化率高，温度准确。
- 旋钮调温，范围20~34°C。

- Using high-temperature resistant glass tubes, waterproof and explosion-proof.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Knob temperature adjustment, range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
DH-50W	50W	25L	50×29×29cm	36/1	9.45kg
DH-100W	100W	50L	50×29×34cm	36/1	10.26kg
DH-200W	200W	100L	50×29×39cm	36/1	10.95kg
DH-300W	300W	150L	50×29×44cm	36/1	11.66kg



EH玻璃加热棒
EH GLASS HEATER

- 采用耐高温玻璃管，密封、防爆。
- 加热迅速，热转化率高，温度准确。
- 旋钮调温，范围20~34°C。

- Using high-temperature resistant glass tubes, waterproof and explosion-proof.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Knob temperature adjustment, range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
EH-50W	50W	25L	50×29×33cm	50/1	8.38kg
EH-100W	100W	50L	50×29×33cm	50/1	8.38kg
EH-200W	200W	100L	50×29×37cm	50/1	9.20kg
EH-300W	300W	150L	50×29×41cm	50/1	9.51kg




FH玻璃加热棒
FH GLASS HEATER



- 采用耐高温玻璃管，密封、防爆。
- 加热迅速，热转化率高，温度准确。
- 旋钮调温，范围20~34°C。

- Using high-temperature resistant glass tubes, waterproof and explosion-proof.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Knob temperature adjustment, range of 20~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
FH-50W	50W	25L	47×37×25cm	50/1	9.52kg
FH-100W	100W	50L	47×37×29cm	50/1	10.4kg
FH-200W	200W	100L	47×37×35cm	50/1	12.3kg
FH-300W	300W	150L	47×37×38cm	50/1	13.1kg

J25玻璃加热棒
J25 GLASS HEATER



- 采用耐高温玻璃管，密封、防爆。
- 加热迅速，热转化率高，温度准确。
- 旋钮调温，范围18~34°C。

- Using high-temperature resistant glass tubes, waterproof and explosion-proof.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Knob temperature adjustment, range of 18~34 ° C.



110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
J25-25W	25W	10L	50×29×30cm	36/1	13.87kg
J25-50W	50W	25L	50×29×30cm	36/1	9.37kg
J25-100W	100W	50L	50×29×32cm	36/1	10.98kg
J25-200W	200W	100L	50×29×36cm	36/1	14.15kg
J25-300W	300W	150L	50×29×41cm	36/1	14.15kg

J16恒温加热棒
J16 CONSTANT TEMPERATURE HEATER



- 采用耐高温石英管，干烧防爆，更安全。
- 加热迅速，热转化率高，温度准确。
- 定温加热26°C。

- Using quartz tubes, dry burning explosion-proof, safer to use.
- Rapid heating, fast thermal conductivity, and accurate temperature.
- Heating at a constant temperature of 26 °C.




110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
J16-10W	10W	6L	34×26×23cm	36/1	6.23kg
J16-25W	25W	10L	34×26×23cm	36/1	6.23kg
J16-50W	50W	30L	50×29×27cm	36/1	6.75kg
J16-100W	100W	50L	50×29×27cm	36/1	7.98kg



NEW


LG LED超薄水族灯
LG LED ULTRA-THIN AQUARIUM LAMP



10mm厚铝合金灯体，散热性好。
10 mm thick aluminum alloy lamp body, good heat dissipation.



采用高亮度LED灯珠，蓝/白/全亮三种灯光。
With high brightness LED lamp,Blue/White/ full light three lighting.



伸缩式支架，安装在鱼缸顶部，通用性强。
Retractable bracket that mounts to the top of the tank for versatility.

产品颜色 Product color



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Suit For Aquarium tank	灯尺寸 Light Size(cm)	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
LG-450	13w	40-50cm	45x7cm	48.5×24.5×28cm	12/1	7.0kg
LG-600	18w	55-65cm	60x7cm	63.5×24.5×28cm	12/1	8.9kg
LG-800	20w	75-85cm	80x7cm	83.5×24.5×28cm	12/1	8.0kg
LG-900	21w	85-95cm	90x7cm	93.5×24.5×28cm	12/1	12.2kg
LG-1000	22w	95-105cm	100x7cm	103.5×24.5×28cm	12/1	13.2kg
LG-1200	24w	115-125cm	120x7cm	123.5×24.5×28cm	12/1	19.0kg
LGM水草专用 LGM FOR WATERWEEDS						
LGM-600	20w	55-65cm	60x9.4cm	48.5×24.5×28cm	12/1	8.9kg
LGM-900	24w	85-95cm	90x9.4cm	63.5×24.5×28cm	12/1	12.2kg
LGM-1200	28w	115-125cm	120x9.4cm	83.5×24.5×28cm	12/1	19.0kg



LA LED超薄水族灯
LA LED ULTRA-THIN AQUARIUM LAMP

- 架置在鱼缸顶部。
- 高亮度LED灯珠。
- 采用超薄铝材，散热好。
- 伸缩支架，通用性强。

- Put it on the fish tank.
- High brightness LED lamp beads.
- Ultra thin aluminum material, good heat dissipation.
- Retractable bracket for versatility.

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power(W)	适用鱼缸 Suit For Aquarium tank	灯尺寸 Light Size(cm)	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
LA-60	13	55-70cm	56.6x8.1	71×22×27.3cm	12/1	9.4kg
LA-70	15	65-80cm	66x8.1	81×22×30.8cm	12/1	10.1kg
LA-80	17	75-90cm	76x8.1	91×22×30.8cm	12/1	11.3kg
LA-100	20	95-110cm	96x8.1	121×22×30.8cm	12/1	14.1kg
LA-120	22	110-120cm	111x8.1	128×22×33.8cm	12/1	16.6kg
LA-150	24	145-160cm	146x8.1	171×22×26cm	12/1	21.0kg

CX LED智能水族灯
CX LED SMART AQUARIUM LAMP



- 适用于无边框鱼缸。
- 插入式安装在挂钩上。
- 采用高亮度节能LED灯珠。
- 轻触式开关，蓝白灯效互换。

- Suitable for No frame tank.
- Plug-in mounted on the hook.
- Using high brightness energy-saving LED lamp beads.
- Touch switch, blue and white two kinds of lamp swap.






CX-XSP


CX-SP


CX-MP


CX-LP

110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	适用玻璃厚度 Suitable glass	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CX-XSP	2.8w	10-20cm	≤4mm	14x10.5x6cm	38×34×30cm	24/1	5.2kg
CX-SP	4.5w	20-35cm	≤5mm	17x11.9x8.5cm	49.5×38×28cm	20/1	7.3kg
CX-MP	8.2w	35-40cm	≤6mm	29x11.9x7cm	51×31.5×41cm	18/1	8.7kg
CX-LP	8.5w	40-50cm	≤6mm	18.5x11.9x21cm	46×42×46cm	16/1	9.2kg

产品颜色 Product color

白 white　黑 black

QL-60LED智能水族灯
QL-60 LED SMART AQUARIUM LAMP


有定时版和无定时版可选。
Time set version and no time setting version can be selected.




- 背夹在鱼缸上。
- 设有6H/8H定时开关功能。
- 高亮度节能LED灯珠，光照充足。
- 轻触式开关，白/紫两种灯效选择。

- Back is clamped on the fish tank.
- With 6H/8H timer switch function.
- High brightness LED lamp.
- Touch switch, white / Purple lamp effect.









110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	适用鱼缸 Applicable tank	适用玻璃厚度 Suitable glass	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
QL-60 定时版 Set time version	15w	50-70cm (无边框鱼缸)	≤6cm	37.3x20x1.7cm	53*40*35cm	18/1	8.1kg
QL-60 无定时版 No set time version	10w	50-70cm (无边框鱼缸)	≤6cm	37.3x20x1.7cm	53*40*35cm	18/1	8.1kg

产品颜色 Product color

白 white　黑 black

UV水族杀菌灯
AQUARIUM UV LAMP




UV-5W


UV-9W


UV-11W


UV-18W


UV-36W

- 高透光石英管身。
- 254NM高强紫外线。
- 灯水隔离结构，高效杀菌。

- High transmittance quartz tube.
- 254nm high-strength ultraviolet.
- Lamp water isolation structure, efficient sterilization.

110~120V 60Hz / 220~240V 50Hz

型号 Model	防水 Protction	UV强度 ≤5000h	容量 Capacity	流量 Flow	压力 Pressure	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
UV-5W	IP44	≥85%	3000L	1000-1500L/H	0.2MPa	45×34×35cm	6/1	11.4kg
UV-9W	IP44	≥85%	7000L	2000-3000L/H	0.2MPa	45×37×35cm	6/1	14.3kg
UV-11W	IP44	≥85%	10000L	4000-5000L/H	0.2MPa	45×42×35cm	6/1	15.0kg
UV-18W	IP44	≥85%	20000L	6000-8000L/H	0.2MPa	45×42×35cm	6/1	17.6kg
UV-36W	IP44	≥85%	35000L	8000-10000L/H	0.2MPa	58×45×35cm	6/1	19.5kg

CASE水族杀菌灯
CASE AQUARIUM UV LAMP




UV-5W UV-9W


UV-11W UV-18W


UV-36W

- 高透光石英管身。
- 254NM高强紫外线。
- 灯水隔离结构，高效杀菌。

- High transmittance quartz tube.
- 254nm high-strength ultraviolet.
- Lamp water isolation structure, efficient sterilization.

110~120V 60Hz / 220~240V 50Hz

型号 Model	防水 Protction	UV强度 ≤5000h	容量 Capacity	流量 Flow	压力 Pressure	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
CASE UV-5W	IP44	≥85%	3000L	1000-1500L/H	0.2MPa	44.8×39×35cm	6/1	14.1kg
CASE UV-9W	IP44	≥85%	7000L	2000-3000L/H	0.2MPa	44.8×39×35cm	6/1	14.1kg
CASE UV-11W	IP44	≥85%	10000L	4000-5000L/H	0.2MPa	44.8×41.4×35.2cm	6/1	14.9kg
CASE UV-18W	IP44	≥85%	20000L	6000-8000L/H	0.2MPa	50.5×44.8×35cm	6/1	19.2kg
CASE UV-36W	IP44	≥85%	35000L	8000-10000L/H	0.2MPa	68.5×44.8×35cm	6/1	22.6kg

UV水族杀菌灯
AQUARIUM UV LAMP

- 高透光石英管身。
- 254NM高强紫外线。
- 低电压输出，使用安全。

- High transmittance quartz tube.
- 254nm high-strength ultraviolet.
- Low voltage output, safe to use.



110~120V 60Hz / 220~240V 50Hz

型号 Model	防水 Protction	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
7W	IP68	47x42x30cm	50/1	10.5kg
9W	IP68	47x42x30cm	50/1	10.5kg




MT水面撇渣除油膜器

SURFACE SKIMMER

NEW

- 去除水面油膜、残渣和漂浮物，保持水面清洁，促使水体健康循环。
- 浮环设计可延长设备使用寿命，浮台自动升降 3cm，自动适应水位差，减少加水频次。
- 360°旋涡式进水设计，吸力大，快速收集；保护隔沙可防止较小动物吸进。
- 设有流量阀，可调流量大小；底部出水，出水口可360°随意调节。
- 静音电机搭配不锈钢轴心转子，淡水/海水适用。
- Remove oil films, residues, and floating debris from the water surface to maintain cleanliness and promote healthy water circulation.
- The floating ring design extends the equipment's service life, with the floating platform automatically adjusting up and down by 3cm to adapt to water level differences, reducing the frequency of water replenishment.
- 360° vortex water intake design delivers strong suction for rapid collection; the sand protection guard prevents smaller animals from being sucked in.
- Equipped with a flow control valve for adjustable flow rate; bottom outlet with 360° adjustable spray pattern.
- Quiet motor paired with stainless steel shaft rotor, suitable for both freshwater and seawater.



110~120V 60Hz / 220~240V 50Hz

型号 Model	功率 Power	最大流量 Q.max	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MT-260	2.0W	160L/H	42x31.6x37cm	48/1	12.8kg
MT-460	3.6W	280L/H	46x33.6x39.5cm	48/1	17.2kg

MK自吸式除油膜器

MK SELF SUCTION SURFACE SKIMMER



- 自带水泵，可调流量。
- 内有过滤棉，可除油膜和杂质。
- 浮台装有隔栏，防止小鱼吸入。
- With water pump, adjustable flow.
- Built-in sponge, can remove oil and impurities.
- Built-in grille, avoiding small fish into the skimmer.










110~120V 60Hz / 220~240V 50Hz


型号 Model	功率 Power	流量 Q Max	适用鱼缸 Applicable	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MK-230	2.5W	288L/h	20-40cm/10-30L	42×29.5×33cm	50/1	13.1kg



SK除油膜器

SK SUFACE SKIMMER

- 去除水面油膜，增加水透光率，有利水草光合作用。
- 自浮式浮台，不因水位高低而影响除油效果。
- 需连接过滤器或水泵。
- Removing water film and increasing water transmittance is beneficial to photosynthesis of aquatic plants.
- With floating platform, suitable for any water level.
- A filter or a water pump should be connected.





SK-350



SK-600

型号 Model	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
SK-350	45×25×28cm	20/1	2.9kg
SK-600	47×28.5×38cm	20/1	4.9kg

AT二氧化碳扩散器

AT CO_2 DIFFUSER


- 集成了计泡器和止逆阀。
- 采用PE陶瓷高效溶解二氧化碳。
- The bubble counter and check valve are integrated.
- PE ceramic is used to dissolve carbon dioxide efficiently.







型号 Model	3套水咀 3 Sets Outlet	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AT-CO2	12/16mm 16/22mm 19/25mm	45×34×36cm	36/1	8.5kg



AFT自动喂食器
AFT AUTOMATIC FEEDER





AFT-MINI


AFT-02


AFT-03

- 干电池供电，微型电机，节能静音，待机长。
- 大容量鱼粮盒，适合各类鱼料，投放量可调。
- 可设定时喂食，也可一键手动喂食。
- 有固定夹和底座，两种安装方式，适合不同鱼缸。
- 02/03 背后可接气泵，鱼粮不易受潮。

- Dry battery power supply, micro motor, energy-saving, long standby.
- Large capacity fish feed box, feeding quantity is adjustable, suitable for all kinds of fish feed.
- Time feeding can be set, or one button manual feeding can be used.
- There are fixed clamp and base, two installation methods, suitable for different fish tanks.
- 02/03 The air pump can be connected at the back, so the fish grain is not easy to get damp.



型号 Model	电池 Battery	定时 Set time	鱼粮盒 Fish food box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AFT-MINI	7#×2	12H/24H	1	44×32×26cm	40/1	8.8kg
AFT-02	5#×2	8H/12H/24H	1	48×40×42.5cm	60/1	16.8kg
AFT-03	5#×2	8H/12H/24H	1	44×47×38cm	54/1	15.1kg

AFT-04自动喂食器
AFT-04 AUTOMATIC FEEDER





旋杆式投食
Rotating rod feeding


片料/粒料通用
For flake and granular feed

双粮盒大容量
Double food box large capacity

- 交/直流供电，微型电机，节能静音，待机时间长。
- 双层鱼粮盒，容量大，适合各类鱼料，投放量可调。
- 轻触式按键，数显大屏，三段定时，也可一键手动喂食。
- 有固定夹和底座，两种安装方式，适合不同鱼缸。
- 喂食器后背可接气泵，鱼粮不易受潮。

- AC/DC power supply, micro motor, energy-saving, long standby.
- Double layer fish food box, Large capacity, feeding quantity is adjustable, suitable for all kinds of fish feed.
- Touch button, large display,Set the feeding time and quantity accurately three kinds of time setting function a day, One touch manual feeding.
- There are fixed clamp and base, two installation methods, suitable for different fish tanks.
- The back of feeder can be connected with air pump, the fish feed is not easy to get damp.



型号 Model	供电 Power supply	鱼粮盒 Fish food box	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AFT-04	电池 battery (5#×4) 外接电源 External power supply	2	46×40×46cm	45/1	22.5kg

AFT自动喂食器
AFT AUTOMATIC FEEDER




- 适合各类鱼料，投放量可调。
- 可设12/24小时定时，一键手动喂食。
- 干电池供电，微型电机，待机长。

- Suitable for all kinds of fish food, adjustable dosage.
- 12/24 hours of regular feeding can be set, one button manual feeding.
- Battery supplies power, Micro motor, long standby.

型号 Model	干电池 Dry battery	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
AFT-01	#5×2	52×45×46.5cm	60/1	15.16kg

水妖精
SPONGE FILTER



- 材料为高密度棉，用吸盘安装在缸内。
- 需要与气泵连接才能工作。
- 它能起到提升水溶氧量和水体过滤的双重功效。

- The material is high density sponge, installed by suction cup.
- It needs to be connected to the air pump to work.
- It can improve the effect of dissolved oxygen and water filtration.




S


M


L

型号 Model	适用鱼缸 Applicable tank	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
S	≤45cm/50L	46×41×27cm	24/1	2.4kg
M	≤60cm/90L	46×41×31cm	24/1	2.9kg
L	≤80cm/140L	50×41.5×35cm	30/1	3.1kg

工艺喷泉头
FOUNTAIN HEAD




S


M


L

- 适用于园林喷泉装饰造景。
- 喷泉效果：帐篷、层叠、花洒。
- 配有Φ13、Φ21、Φ27等接驳咀，通用不同鱼缸。


- It is suitable for garden fountain decoration.
- Fountain effect: tents, stacks, showers.
- Equipped with Φ 13, Φ 21, Φ 27 and other connecting nozzles, different fish tanks for general use.

型号 Model	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
S	50×42.5×37cm	80/1	8.0kg
M	54.8×40.5×46cm	24/1	9.1kg
L	58×43.3×40.8cm	12/1	5.7kg

磁力双头鱼缸刮刷
MAGNETIC DOUBLE SCRAPER FISH TANK BRUSH







- 双头刮铲设计，清洁功效加倍。
- 采用304不锈钢刀片，锋利，耐用不生锈。
- 强磁吸附，松脱自浮。
- 采用软毛刷和魔术贴刷，清洁玻璃不伤表面。

- Double head scraper design, double cleaning effect.
- 304 stainless steel blade, sharp and rust free.
- Strong magnetic adsorption, self floating after loosening.
- Use soft bristle brush and Velcro brush to clean the glass without damaging the surface.

型号 Model	玻璃厚度 Glass Thickness	尺寸 Size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
GC-12	8-12mm	14.8×6×8.7cm	49×37×24.5cm	20/1	7.4kg
GC-19	12-19mm	14.8×6×8.7cm	49×37×24.5cm	20/1	8.8kg



GC-12



GC-19

磁力鱼缸刷
MAGNETIC FISH TANK BRUSH




- 采用防滑手柄，自浮式设计。
- 超强磁力，适合不同玻璃厚度使用。
- 采用防刮伤清洁垫，有效清洁玻璃。

- It adopts anti-skid handle, self floating design.
- Super magnetic force, suitable for different glass thickness.
- Use anti scratch cleaning pad to clean the glass effectively.



MF-1　MF-5　MF-10　MF-15

型号 Model	玻璃厚度 Glass Thickness	尺寸 Size(mm)	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
MF-1	≤4mm	71×25×67	42.5×29.5×31.5cm	120/1	13.6kg
MF-5	≤5mm	71.5×38×62	42.5×29.5×31.5cm	84/1	12.6kg
MF-10	≤10mm	95×45×72	43.8×36×31.3cm	72/1	16.7kg
MF-15	≤12mm	105×55×77	46.3×38.5×37.3cm	72/1	22.7kg



GS鱼缸刮铲
GS FISH TANK BRUSH



- 用于清洁鱼缸玻璃的污渍和青苔。
- 采用304不锈钢刀片，锋利，耐用不生锈。
- 枝杆为高韧性玻璃纤维，韧性十足。

- It is used to clean the stain and moss of aquarium glass.
- Using 304 stainless steel blade, sharp and not easy to be rusted.
- It is made of high tenacity glass fiber with full tenacity.



型号 Model	产品尺寸 Product size	纸箱尺寸 Carton size	个/箱 PCS/CTN	毛重/箱 GW/CTN
GS-60	6.7x45cm	49.2×22.2×54.5cm	60/1	7.3kg
GS-60 加长/Lengthen	6.7x65cm	74.5×32×34cm	60/1	8.6kg